	•	: 3 (Replaced 2)						
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE A	ND OF THE COMPANY/UNDERTAKING						
l. 1	Product identifier: COCKPIT CLEANER - LEMO	DN						
	Other means of identification:							
	UFI: HFXV-V0G1-8003-J02E							
.2	Relevant identified uses of the substance or mixture and us	es advised against:						
	Relevant uses: Dashboard cleaner							
_	Uses advised against: All uses not specified in this section or in section 7.3							
3								
	AUTOLAND PROSTA SPÓŁKA AKCYJNA Ogrodowa 37 00-873 Warszawa - Poland Phone: 0048-32-47 22 531 autoland_hse@autoland.pl http://autoland.pl							
4	Emergency telephone number:							
SECT	TION 2: HAZARDS IDENTIFICATION							
2.1	Classification of the substance or mixture:							
	CLP Regulation (EC) No 1272/2008:							
	Classification of this product has been carried out in accordance wit	h CLP Regulation (EC) No 1272/2008.						
	Aerosol 1: Flammable aerosols, Category 1, H222 Aerosol 1: Pressurised container: May burst if heated., H229 Aquatic Chronic 2: Hazardous to the aquatic environment, long-tern Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single							
2.2	Label elements:							
	CLP Regulation (EC) No 1272/2008:							
	Danger							
	Hazard statements:							
	Aerosol 1: H222 - Extremely flammable aerosol. Aerosol 1: H229 - Pressurised container: May burst if heated. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effe Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.	cts.						
	Precautionary statements:							
	 P102: Keep out of reach of children. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F P501: Dispose of contents/container according to the separated collection system used in your municipality. UFI: HFXV-V0G1-8003-J02E 							
	Labelling for contents:							
	Component	Concentration interval						
	Aliphatic hydrocarbons perfumes	% (w/w) >= 30						
		•						

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

COCKPIT CLEANER - LEMON

Date of compilation: 27/01/2022

Revised: 07/02/2024 Version: 3 (Replaced 2)

SECTION 2: HAZARDS IDENTIFICATION (continued)

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aerosol

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification C					
CAS:	64742-49-0	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics ⁽¹⁾ Self-classified					
Index: I REACH: (927-510-4 Non-applicable 01-2119475515-33- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 2: H225; Skin Irrit. 2: H315; STOT SE 3: H336 - Danger		30 - <70 %		
CAS:	106-97-8	Butane ⁽²⁾ ATP CLP00					
Index: REACH:	203-448-7 601-004-00-0 01-2119474691-32- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	$\langle \mathbf{i} \rangle$	10 - <20 %		
CAS:	74-98-6	Propane ⁽²⁾		ATP CLP00			
Index:	200-827-9 601-003-00-5 01-2119486944-21- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger		5 - <10 %		

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878
 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

(2) voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

COCKPIT CLEANER - LEMON

Date of compilation: 27/01/2022 Revised: 07/02/2024 Version: 3 (Replaced 2)

SECTION 4: FIRST AID MEASURES (continued)

4.3 Indication of any immediate medical attention and special treatment needed:
Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:
Suitable extinguishing media:
Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)
Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

Methods and material for containment and cleaning up:

It is recommended:

6.3

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

-0.	TION 7: HANDLING AND STORAGE (cor	ntinued)							
	B Technical recommendations for the prevention of fires and explosions								
	Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.								
	C Technical recommendations on general occupational hygiene								
	Do not eat or drink during the process, v	-		able cleaning pro	oducts.				
	D Technical recommendations to prevent e								
2	Due to the danger of this product for the control barriers in case of spillage, as we	ll as having absor	bent material in c		n area containing	contamination			
2	Conditions for safe storage, including a		incies.						
	A Specific storage requirements								
	Minimum Temp.: 0 °C Maximum Temp.: 50 °C								
	B General conditions for storage								
2	Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5								
3	Specific end use(s):					the second of the			
	Except for the instructions already specified product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters:			pecial recomme	ndation regarding) the uses of this			
	product.	NAL PROTECTI	ON onitored in the wo	rkplace (Europe	an OEL, not cour				
ECT 1	product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters: Substances whose occupational exposure lim legislation):	NAL PROTECTI	ON onitored in the wo	rkplace (Europe	an OEL, not cour				
	product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters: Substances whose occupational exposure lim legislation): There are no applicable occupational exposu	NAL PROTECTI	ON onitored in the wo ubstances contain	rkplace (Europe	an OEL, not cour				
	product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters: Substances whose occupational exposure lim legislation): There are no applicable occupational exposu	NAL PROTECTI	ON onitored in the wo ubstances contain	rkplace (Europe led in the produ	an OEL, not cour	try-specific			
	product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters: Substances whose occupational exposure lim legislation): There are no applicable occupational exposu DNEL (Workers): Identification Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	NAL PROTECTI hits have to be mo ire limits for the s	ON onitored in the wo ubstances contain Short Systemic Not relevant	rkplace (Europe ed in the produ t exposure Local Not relevant	ean OEL, not cour ct Systemic Not relevant	exposure Local			
	product.	NAL PROTECTI nits have to be mo ire limits for the s Oral Dermal	ON onitored in the wo ubstances contain Short Systemic Not relevant Not relevant	rkplace (Europe led in the produ t exposure Local Not relevant	ean OEL, not cour ct Systemic Not relevant 300 mg/kg	exposure Local Not relevant Not relevant			
	product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters: Substances whose occupational exposure lim legislation): There are no applicable occupational exposu DNEL (Workers): Identification Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS: 64742-49-0 EC: 927-510-4	NAL PROTECTI hits have to be mo ire limits for the s	ON onitored in the wo ubstances contain Short Systemic Not relevant	rkplace (Europe ed in the produ t exposure Local Not relevant	ean OEL, not cour ct Systemic Not relevant	exposure Local			
	product.	NAL PROTECTI nits have to be mo ire limits for the s Oral Dermal	ON onitored in the wo ubstances contain Short Systemic Not relevant Not relevant	rkplace (Europe ed in the produ t exposure Not relevant Not relevant Not relevant	ean OEL, not cour ct Not relevant 300 mg/kg 2085 mg/m ³	exposure Local Not relevant Not relevant			
	product.	NAL PROTECTI nits have to be mo ire limits for the s Oral Dermal	ON onitored in the wo ubstances contain Systemic Not relevant Not relevant Not relevant Not relevant	rkplace (Europe ed in the produ t exposure Local Not relevant Not relevant t exposure	ean OEL, not cour ct Not relevant 300 mg/kg 2085 mg/m ³	exposure Not relevant Not relevant Not relevant			
	product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters: Substances whose occupational exposure lim legislation): There are no applicable occupational exposu DNEL (Workers): Identification Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS: 64742-49-0 EC: 927-510-4	NAL PROTECTI nits have to be mo ire limits for the s Oral Dermal	ON onitored in the wo ubstances contain Short Systemic Not relevant Not relevant	rkplace (Europe ed in the produ t exposure Not relevant Not relevant Not relevant	ean OEL, not cour ct Not relevant 300 mg/kg 2085 mg/m ³	exposure Local Not relevant Not relevant			
	product.	NAL PROTECTI nits have to be mo ire limits for the s Oral Dermal Inhalation	ON onitored in the wo ubstances contain Short Not relevant Not relevant Not relevant Short Systemic	rkplace (Europe ed in the produ t exposure Not relevant Not relevant Not relevant t exposure	ean OEL, not cour ct Not relevant 300 mg/kg 2085 mg/m ³	exposure Not relevant Not relevant Not relevant Not relevant Exposure			
	product.	NAL PROTECTI nits have to be mo ire limits for the s Oral Dermal Inhalation	ON onitored in the wo ubstances contain Short Systemic Not relevant Not relevant Not relevant Short Systemic Systemic Not relevant	rkplace (Europe ed in the produ t exposure Local Not relevant Not relevant t exposure t exposure t exposure	ean OEL, not cour ct Not relevant 300 mg/kg 2085 mg/m ³ Long Systemic 149 mg/kg	exposure Not relevant Not relevant Not relevant Not relevant Not relevant Not relevant Not relevant			
	product. TION 8: EXPOSURE CONTROLS/PERSON Control parameters: Substances whose occupational exposure limitegislation): There are no applicable occupational exposure DNEL (Workers): Identification Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS: 64742-49-0 EC: 927-510-4 DNEL (General population): Identification Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS: 64742-49-0	NAL PROTECTI nits have to be mo ire limits for the s Oral Dermal Inhalation	ON onitored in the wo ubstances contain Short Systemic Not relevant Not relevant Not relevant Short Not relevant Not relevant Not relevant Not relevant Not relevant	rkplace (Europe ed in the produ t exposure Local Not relevant Not relevant t exposure t exposure t exposure Local Not relevant Not relevant Not relevant	ean OEL, not cour ct Not relevant 300 mg/kg 2085 mg/m ³ Long Systemic 149 mg/kg 149 mg/kg	exposure Not relevant			

marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

	8: EXPOSURE	CONTROLS/P	ERSON/	AL PROTECT	ION (c	ontinued)		
					1		1	
	Pictogram	PPE		Labelling		CEN Standard		Remarks
	Mandatory respiratory tract protection	Filter mask for over the second se			EN 4	49:2001+A1:2009 05:2002+A1:2010 N ISO 136:1998		eplace when an increase in resistence t ing is observed and/or a smell or taste contaminant is detected.
C S	pecific protection	for the hands						
Γ	Pictogram	PPE		Labelling		CEN Standard		Remarks
	Mandatory hand protection	Protective gloves minor risk		CATI			prolo profess CE	ce gloves in case of any sign of damage nged periods of exposure to the produc sional users/industrials, we recommend III gloves in line with standards EN IS 20:2020 and EN ISO 374-1:2016+A1:20
A		a mixture of sev	eral subs	tances, the res	sistance	of the glove mate	erial car	n not be calculated in advance w
t	otal reliability and	d has therefore t						
D E	ive and face prot	ection						
	Pictogram	PPE		Labelling		CEN Standard		Remarks
	Mandatory face protection	Panoramic glasses splash/project				EN 166:2002 ISO 4007:2018		daily and disinfect periodically accordi nanufacturer 's instructions. Use if there risk of splashing.
E B	Body protection							
	Pictogram	PPE		Labelling		CEN Standard		Remarks
	Mandatory complete body protection	Antistatic and fir protective clot		CAT III	E E EN	N 1149-1:2006 N 1149-2:1997 N 1149-3:2004 EN 168:2002 ISO 14116:2015 N 1149-5:2018		Limited protection against flames.
	Mandatory foot protection	Safety footwea antistatic and heat properties	resistant	CAT III		ISO 13287:2020 ISO 20345:2011	Re	eplace boots at any sign of deterioration
F A	dditional emerge	ency measures						
Γ	Emergency mea	sure	Sta	andards		Emergency meas	sure	Standards
	Emergency sho			5I Z358-1 11, ISO 3864-4:20)11	Eyewash statio	ns	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20:
Envi	ronmental exp	osure controls	:					-
In ac spilla	cordance with th ige of both the p	e community leg roduct and its co	gislation f			e environment it ion see subsectio		nmended to avoid environmenta
Vola	tile organic co	mpounds:						
With	regard to Directi	ve 2010/75/EU,	this prod	luct has the fo	llowing	characteristics:		
۷	.O.C. (Supply):		93,35	% weight				
٧	.O.C. density at	20 ºC:	661,8	3 kg/m ³ (661	,83 g/L)			
	verage carbon n	umbor	7,01					
A	werage carbon n		7,01					

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Average molecular weight:

*Not relevant due to the nature of the product, not providing information property of its hazards.

100,11 g/mol

Date of	compilation: 27/01/2022 Revised: 07/02/2024	Version: 3 (Replaced 2)						
SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	G (continued)						
9.1	Information on basic physical and chemical properties:							
	For complete information see the product datasheet.							
	Appearance:							
	Physical state at 20 °C:	Aerosol						
	Appearance:	Fluid						
	Colour:	Colourless						
	Odour:	Characteristic						
	Odour threshold:	Not relevant *						
	Volatility:							
	Boiling point at atmospheric pressure:	-42 - 324 °C (Propellant)						
	Vapour pressure at 20 °C:	Not relevant *						
	Vapour pressure at 50 °C:	<300000 Pa (300 kPa)						
	Evaporation rate at 20 °C:	Not relevant *						
	Product description:							
	Density at 20 °C:	690 - 728 kg/m³						
	Relative density at 20 °C:	0,7						
	Dynamic viscosity at 20 °C:	Not relevant *						
	Kinematic viscosity at 20 °C:	Not relevant *						
	Kinematic viscosity at 40 °C:	Not relevant *						
	Concentration:	Not relevant *						
	pH:	Not relevant *						
	Vapour density at 20 °C:	Not relevant *						
	Partition coefficient n-octanol/water 20 °C:	Not relevant *						
	Solubility in water at 20 °C:	Not relevant *						
	Solubility properties:	Not relevant *						
	Decomposition temperature:	Not relevant *						
	Melting point/freezing point:	Not relevant *						
	Recipient pressure:	Not relevant *						
	Flammability:							
	Flash Point:	Non-applicable						
	Flammability (solid, gas):	Not relevant *						
	Autoignition temperature:	410 °C (Propellant)						
	Lower flammability limit:	Not relevant *						
	Upper flammability limit:	Not relevant *						
	Particle characteristics:							
	Median equivalent diameter:	Non-applicable						
9.2	Other information:							
	Information with regard to physical hazard class							
	Explosive properties:	Not relevant *						
	Oxidising properties: Corrosive to metals:	Not relevant * Not relevant *						
	Heat of combustion:	Not relevant *						
	Aerosols-total percentage (by mass) of flammable	Not relevant *						
	components:							
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.						

	Other safety characteris	stics:							
	Surface tension at 20 °C:		Not relevant *						
	Refraction index:		Not relevant *						
	*Not relevant due to the nature	of the product, not providing i	nformation property of its hazard	ls.					
SECT	TION 10: STABILITY AN	O REACTIVITY							
10.1	Reactivity:								
10.2	No hazardous reactions are Safety Data Sheet. Chemical stability:	e expected because the p	roduct is stable under reco	mmended storage condit	ions. See section 7 from				
10.2	-								
10.3	-	Chemically stable under the indicated conditions of storage, handling and use.							
10.5	0.3 Possibility of hazardous reactions:								
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.								
10 /		ons, hazardous reactions	that lead to excessive tem	peratures or pressure are	e not expected.				
10.4	Under the specified conditi Conditions to avoid: Applicable for handling and			peratures or pressure are	e not expected.				
10.4	Conditions to avoid:			peratures or pressure are Sunlight	e not expected. Humidity				
10.4	Conditions to avoid: Applicable for handling and	l storage at room temper	ature:						
	Conditions to avoid: Applicable for handling and Shock and friction	Storage at room temper Contact with air Not applicable	ature: Increase in temperature	Sunlight	Humidity				
	Conditions to avoid: Applicable for handling and Shock and friction Not applicable	Storage at room temper Contact with air Not applicable	ature: Increase in temperature	Sunlight	Humidity				
	Conditions to avoid: Applicable for handling and Shock and friction Not applicable Incompatible materials	storage at room temper Contact with air Not applicable	ature: Increase in temperature Risk of combustion	Sunlight Avoid direct impact	Humidity Not applicable				
10.5	Conditions to avoid: Applicable for handling and Shock and friction Not applicable Incompatible materials Acids	Storage at room temper Contact with air Not applicable Water Not applicable	ature: Increase in temperature Risk of combustion Oxidising materials	Sunlight Avoid direct impact Combustible materials	Humidity Not applicable Others				
10.5	Conditions to avoid: Applicable for handling and Shock and friction Not applicable Incompatible materials Acids Avoid strong acids Hazardous decompositi See subsection 10.3, 10.4	A storage at room temper Contact with air Not applicable Water Not applicable on products: and 10.5 to find out the s	ature: Increase in temperature Risk of combustion Oxidising materials Avoid direct impact specific decomposition proc	Sunlight Avoid direct impact Combustible materials Not applicable lucts. Depending on the	Humidity Not applicable Others Avoid alkalis or strong bases				

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3

- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

Date of	compilation: 27/01/2022	Revised: 07/02/2024	Version: 3 (Replaced 2)							
SECT	TON 11: TOXICOLOGICA	L INFORMATION (contin	ued)							
	 Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: d-limonene (3); 2,6-di-tert-butyl-p-cresol (3); 7-methyl-3-methyleneocta-1,6-diene (2B); Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (3) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. 									
	 hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, 									
vomiting, confusion, and in serious cases, loss of consciousness. G- Specific target organ toxicity (STOT)-repeated exposure:										
	 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria a it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified hazardous for this effect. For more information see section 3. H- Aspiration hazard: Based on available data, the classification criteria are not met. However, it does contain substances classified a 									
	for this effect. For more Other information: Not relevant	information see section 3. mation on the substances								
		Identification		Acute toxicity	Genus					
	Propane		LD50 oral	>2000 mg/kg						
1	CAS: 74-98-6		LD50 dermal	>2000 mg/kg						
	EC: 200-827-9		LC50 inhalation	>5 mg/L						
	Butane		LD50 oral	>2000 mg/kg						
	CAS: 106-97-8		LD50 dermal	>2000 mg/kg						
	EC: 203-448-7		LC50 inhalation	658 mg/L (4 h)	Rat					
	Hydrocarbons, C7, n-alkanes, iso	alkanes, cyclics	LD50 oral	>2000 mg/kg						
	CAS: 64742-49-0		LD50 dermal	>2000 mg/kg						
	EC: 927-510-4		LC50 inhalation	>20 mg/L						
11.2	Information on other ha	zards:								
	Endocrine disrupting pro	operties								
	Endocrine-disrupting proper	ties: The product does not m	eet the criteria.							
	Other information									
	Not relevant									
SECT	TION 12: ECOLOGICAL IN	NFORMATION								
	TON 12: ECOLOGICAL IN		operties of the product itself is n							

Toxic to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

C/	Identification			Concentration		S	pecies		Genus	
C	ydrocarbons, C7, n-alkanes, isoalkanes, cyclics		LC50	>1 - 10 mg/L (96 h)					Fish	
	AS: 64742-49-0		EC50	>1 - 10 mg/L (48 h)					Crustacean	
E	EC: 927-510-4			>1 - 10 mg/L (72 h)					Algae	
C	Chronic toxicity:									
	Identification			Concentration		S	pecies		Genus	
	ydrocarbons, C7, n-alkanes, isoalkanes, cyclics		NOEC	Not relevant						
	AS: 64742-49-0 EC: 927-510-4		NOEC	0,17 mg/L		Daph	nia magna		Crustacean	
	ersistence and degradability:									
Su	ubstance-specific information:				_					
	Identification		D	egradability			Biodegradal	bility		
	ydrocarbons, C7, n-alkanes, isoalkanes, cyclics		OD5	Not relevant		entration		Not rele		
	AS: 64742-49-0		OD	Not relevant	Perio	-		14 days		
	C: 927-510-4 oaccumulative potential:	BC	OD5/COD	Not relevant	% Bi	odegradable		95 %		
	Identii				Bioa	ccumulatio	n potenti	al		
В	utane		BCF			F	33			
	AS: 106-97-8		Pow Log				2.89			
	C: 203-448-7		Potential			Moderate				
	opane				BCF		13			
	AS: 74-98-6 C: 200-827-9				-	w Log tential	2.86 Low			
	obility in soil:					tentiai	LOW			
	Identification		Abs	sorption/desorption			Volat	tility		
Βι	utane	Ko	с	900		Henry		96258,7	'5 Pa·m³/mol	
C/	AS: 106-97-8	Co	onclusion	Low	Low		Dry soil		Yes	
EC	C: 203-448-7		urface tensior	, , ,	5 ºC)	Moist soil		Yes		
		Ko		460			,		71636,78 Pa·m ³ /mol	
	AS: 74-98-6 C: 200-827-9		onclusion urface tensior	Moderate 1 7,02E-3 N/m (25	9C)	Dry soil Moist soil				
	esults of PBT and vPvB assessment:			7,022 3 10/11 (23	с)	110132 3011		103		

Type of waste (Regulation (EU) No 1357/2014):

16 05 04*

HP3 Flammable, HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP4 Irritant — skin irritation and eye damage

gases in pressure containers (including halons) containing hazardous substances

Waste management (disposal and evaluation):

- CONTINUED ON NEXT PAGE -

Hazardous

Date of compilation: 27/01/2022 Revised: 07/02/2024 Version: 3 (Replaced 2)

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

with regard to A	DR 202	23 and RID 2023:	
	14.1	UN number or ID number:	UN1950
	14.2	UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
		Labels:	2.1
	14.4	Packing group:	N/A
	14.5	Environmental hazards:	Yes
	14.6	Special precautions for user	
		Special regulations:	190, 327, 344, 625
		Tunnel restriction code:	D
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
	14.7	Maritime transport in bulk	Not relevant
		according to IMO	
		instruments:	
I ransport of da	ngero	us goods by sea:	
With regard to IM	1DG 41	-22:	
	14.1	UN number or ID number:	UN1950
	14.2	UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
		Labels:	2.1
• •	14.4	Packing group:	N/A
	14.5	Marine pollutant:	Yes
	14.6	Special precautions for user	
		Special regulations:	63, 959, 190, 277, 327, 344
		EmS Codes:	F-D, S-U
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
		Segregation group:	Not relevant
	14.7	Maritime transport in bulk	Not relevant
		according to IMO instruments:	
Transport of da	naoro	us goods by air:	
-	-		
With regard to IA	IA/ICA	AU 2024:	

Date of compilation: 27/01/2022	Revised: 07/02/2024	Version: 3 (Replaced 2)
SECTION 14: TRANSPORT	INFORMATION (continued)	
14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	UN1950 AEROSOLS 2 2.1 N/A Yes
14.7	Physico-Chemical properties: Maritime transport in bulk according to IMO instruments:	see section 9 Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

Labelling for contents:

	Component	Concentration interval
Aliphatic hydrocarbons		% (w/w) >= 30
perfumes		

Allergenic fragrances: d-limonene (LIMONENE), Linalool (LINALOOL), Terpineol (TERPINEOL).

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS	150	500
E2	ENVIRONMENTAL HAZARDS	200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Date of compilation: 27/01/2022 Revised: 07/02/2024 Version: 3 (Replaced 2) SECTION 15: REGULATORY INFORMATION (continued) Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures 15.2 Chemical safety assessment: The supplier has not carried out evaluation of chemical safety. SECTION 16: OTHER INFORMATION Legislation related to safety data sheets: The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3): New declared substances Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane Removed substances Naphtha (petroleum), hydrotreated light, < 0.1 % EC 200-753-7 (64742-49-0) Texts of the legislative phrases mentioned in section 2: H222: Extremely flammable aerosol. H315: Causes skin irritation. H336: May cause drowsiness or dizziness. H411: Toxic to aquatic life with long lasting effects. H229: Pressurised container: May burst if heated. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Flam. Gas 1A: H220 - Extremely flammable gas. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Press. Gas: H280 - Contains gas under pressure, may explode if heated. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms:

Date of compilation: 27/01/2022	Revised: 07/02/2024	Version: 3 (Replaced 2)
SECTION 16: OTHER INFORMATION (continued)		
ADR: European agreement IMDG: International maritir IATA: International Air Tran ICAO: International Civil Av COD: Chemical Oxygen Der BOD5: 5day biochemical ox BCF: Bioconcentration facto LD50: Lethal Dose 50 LC50: Lethal Concentration EC50: Effective concentratio LogPOW: Octanolwater par Koc: Partition coefficient of UFI: unique formula identif IARC: International Agency	ne dangerous goods code sport Association iation Organisation mand tygen demand or 50 50 50 tition coefficient organic carbon ier	l carriage of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -