_	
	compilation: 24/05/2021 Revised: 08/03/2022 Version: 3 (Replaced 2)
SEC	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: MOTOCARE - CHAIN LUBE
	Other means of identification:
	UFI: 6WC8-101D-A00R-553M
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Lubricating Agent
1.3	Uses advised against: All uses not specified in this section or in section 7.3 Details of the supplier of the safety data sheet:
1.5	AUTOLAND PROSTA SPÓŁKA AKCYJNA
	Ogrodowa 37
	00-873 Warszawa - Poland Phone: 0048-32-47 22 531
	autoland_hse@autoland.pl
1.4	http://autoland.pl Emergency telephone number:
1.4	
SECT	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Aerosol 1: Flammable aerosols, Category 1, H222
	Aerosol 1: Pressurised container: May burst if heated., H229
	Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Skin Irrit. 2: Skin irritation, Category 2, H315
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008:
	Danger
	Hazard statements: Aerosol 1: H222 - Extremely flammable aerosol.
	Aerosol 1: H229 - Pressurised container: May burst if heated.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Skin Irrit, 2: H315 - Causes skin irritation.
	Precautionary statements:
	P101: If medical advice is needed, have product container or label at hand.
	P102: Keep out of reach of children. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211: Do not spray on an open flame or other ignition source.
	P251: Do not pierce or burn, even after use. P501: Dispose of contents/container according to the separated collection system used in your municipality.
	UFI: 6WC8-101D-A00R-553M
2.3	Other hazards:
	Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.
SECT	TION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1	Substance:
5.1	Non-applicable
3.2	Mixture:

Date of compilation: 24/05/2021

Revised: 08/03/2022

Version: 3 (Replaced 2)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Aerosol

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	74-98-6	Propane ⁽¹⁾		ATP CLP00	
EC: 200-827-9 Index: 601-003-00-5 REACH: 01-2119486944-21- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	۵.	20 - <30 %	
CAS:	06-97-8 Butane ⁽¹⁾	Butane ⁽¹⁾		ATP CLP00	
EC: Index: REACH:	203-448-7 601-004-00-0 01-2119474691-32- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	۵.	20 - <30 %
CAS:	64742-49-0	Hydrocarbons, C7, n-	alkanes, isoalkanes, cyclics ⁽²⁾	Self-classified	
EC: Index: REACH:	927-510-4 Non-applicable 01-2119475515-33- XXXX		Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 2: H225; Skin Irrit. 2: H315; STOT SE 3: H336 - Danger	() () () ()	10 - <20 %

⁽¹⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878 ⁽²⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Date of compilation: 24/05/2021 Re

Revised: 08/03/2022 Ve

Version: 3 (Replaced 2)

SECTION 5: FIREFIGHTING MEASURES (continued)

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

- C.- Technical recommendations on general occupational hygiene
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Date of compilation: 24/05/2021

Revised: 08/03/2022 Ve

Version: 3 (Replaced 2)

SECTION 7: HANDLING AND STORAGE (continued)

Minimum Temp.:0 °CMaximum Temp.:50 °C

Concerned conditions for storage

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

	Short e	xposure	Long ex	kposure	
Identification	Systemic	Local	Systemic	Local	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Oral		Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64742-49-0	Dermal	Not relevant	Not relevant	300 mg/kg	Not relevant
EC: 927-510-4	Inhalation	Not relevant	Not relevant	2085 mg/m ³	Not relevant

DNEL (General population):

	Short e	xposure	Long ex	kposure	
Identification	Systemic	Local	Systemic	Local	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Oral		Not relevant	Not relevant	149 mg/kg	Not relevant
CAS: 64742-49-0	Dermal	Not relevant	Not relevant	149 mg/kg	Not relevant
EC: 927-510-4	Inhalation	Not relevant	Not relevant	447 mg/m³	Not relevant

PNEC:

Not relevant

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
C	ompulsory use of face mask	Filter mask for particles		EN 149:2001+A1:2009	Replace when an increase in resistence to breathing is observed.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

- CONTINUED ON NEXT PAGE -

	N 8: EXP <u>OSURE</u>	CONTR	ROLS/PERSON	AL PROTECTI	ION (co	ntinued)		
D	- Eye and face prot	tection						
	Pictogram		PPE	Labelling	C	EN Standard		Remarks
	Mandatory face protection		nic glasses against sh/projections.			IN 166:2002 ISO 4007:2018	Clean the m	daily and disinfect periodically according lanufacturer 's instructions. Use if there is risk of splashing.
E	Body protection				1			
	Pictogram		PPE	Labelling	C	EN Standard		Remarks
	Mandatory complete body protection		atic and fireproof active clothing		EN EN EN IS	1149-1:2006 1149-2:1997 1149-3:2004 N 168:2002 SO 14116:2015 1149-5:2018		Limited protection against flames.
	Mandatory foot protection	antistatio	y footwear with and heat resistant properties			SO 13287:2020 SO 20345:2011	Re	place boots at any sign of deterioration.
F	Additional emerge	ency mea	asures					
	Emergency mea	asure	St	andards		Emergency measu	ıre	Standards
	Emergency sho	ower		SI Z358-1 11, ISO 3864-4:20	11	Eyewash station	S	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
In a spil	vironmental exp accordance with th llage of both the p latile organic co	ne comm product a	unity legislation nd its container.					nmended to avoid environmental
In a spil Vo l Wit	accordance with the p lage of both the p latile organic co th regard to Direct V.O.C. (Supply):	ne comm product a mpoune ive 2010	nunity legislation nd its container. ds: I/75/EU, this prod 67 %	For additional in	nformatio	on see subsectior		
In a spil Vo l Wit	accordance with th llage of both the p latile organic co th regard to Direct	ne comm product a mpound tive 2010 20 °C:	nunity legislation nd its container. ds: I/75/EU, this prod 67 %	For additional in duct has the fol weight	nformatio	on see subsectior		
In a spil Vo l Wit	accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at	ne comm product a mpound tive 2010 20 °C: number:	nunity legislation nd its container. ds: 1/75/EU, this proc 67 % Not r 7	For additional in duct has the fol weight elevant	nformatio	on see subsectior		
In a spil Vo l	accordance with the p lage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n	ne comm product a mpound ive 2010 20 °C: number: ar weight	nunity legislation nd its container. ds: 1/75/EU, this prod 67 % Not n 7 :: 100 g	For additional in duct has the fol weight elevant g/mol	nformatio	on see subsectior		
In a spil Vo l Wit	accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH	iunity legislation nd its container. ds: 1/75/EU, this prod 67 % Not n 7 :: 100 g IEMICAL PROP	For additional in duct has the fol weight elevant g/mol	nformatic	on see subsectior		
In a spil Vol Wit	accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic phys	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES	nformatic	on see subsectior		
In a spil Vol Wit	accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic phys	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES	nformatic	on see subsectior		
In a spil Vol Wit	accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base r complete informa	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic physe ation see	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES	nformatic lowing ch	on see subsectior		
In a spil Vol Wit	accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base r complete information pearance:	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic physe ation see	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES fical properties asheet. Aero	nformatic lowing ch	on see subsectior		
In a spil Vol Wit TION Inf For App Phy App	accordance with the llage of both the p latile organic co th regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base r complete information pearance: ysical state at 20 °	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic physe ation see	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES ical properties asheet. Aero Lubr	nformatic lowing ch	on see subsectior		
In a spil Vol Wit TION Inf For App App Col	accordance with the platile of both the platile organic contract of both the platile organic contract of the regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon near Average molecular Average molecular of the physical state at 20 of pearance: the physical state at 20 of pearance and the physical stat	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic physe ation see	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES ical properties asheet. Aero Lubr Ligh	nformatic lowing cl s: sol icant	on see subsection		
In a spil Vol Wit TION Inf For App Col- Odd	accordance with the platile of both the platile organic contract of both the platile organic contract of the regard to Direct V.O.C. (Supply): V.O.C. (Supply): V.O.C. density at Average carbon na Average molecula Nerage molecula	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic physe ation see	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES ical properties asheet. Aero Lubr Ligh Not a	sol icant it yellow	on see subsection		
In a spil Vol Wit TION Inf For App Phy App Col Odd	accordance with the particle of both the particle organic contract of both the particle organic contract of the regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon na Average moleculation of the provide state of the provides	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic physe ation see	Innity legislation nd its container. ds: /75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF	For additional in duct has the fol weight elevant g/mol PERTIES ical properties asheet. Aero Lubr Ligh Not a	sol icant available	on see subsection		
In a spil Vol Wit TION Inf For App Colu Odd Odd Vol	accordance with the platile of both the platile organic contract of both the platile organic contract of the regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon new Average moleculation of the second seco	ne comm product a mpound ive 2010 20 °C: number: ar weight AND CH sic phys ation see	iunity legislation nd its container. ds: //75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF sical and chemi the product data	For additional in duct has the fol weight elevant g/mol PERTIES ical properties asheet. Aero Lubr Ligh Not a Not r	sol icant tyellow available relevant	on see subsection		
In a spil Vol Wit Uit Inf For App Col Odd Odd Vol Boi	accordance with the lage of both the platile organic contract of both the platile organic contract of the regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average moleculation of the second s	ne comm product a mpound ive 2010 20 °C: ar weight AND CH sic physe ation see PC:	iunity legislation nd its container. ds: //75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF sical and chemi the product data	For additional in duct has the fol weight elevant g/mol PERTIES fical properties asheet. Aero Lubri Ligh Not a Not a	sol icant tyellow available relevant	* Propellant)		
In a spil Vol Wit Vit TION Inf For App Col- Odd Odd Odd Vol Boi Vap	accordance with the platile of both the platile organic contraction of both the platile organic contraction of the regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecular Average molecular Average molecular Average molecular and the state of the	ne comm product a mpound ive 2010 20 °C: aumber: ar weight AND CH sic phys ation see C: spheric p 0 °C:	iunity legislation nd its container. ds: //75/EU, this prod 67 % Not r 7 :: 100 c IEMICAL PROF sical and chemi the product data	For additional in duct has the fol weight elevant g/mol PERTIES ical properties asheet. Aero Lubr Ligh Not a Not a 2999	sol sol icant it yellow available relevant · 95 °C (1 075 - 599	* Propellant)		

- CONTINUED ON NEXT PAGE -

Date of	compilation: 24/05/2021	Revised: 08/03/2022	Version: 3 (Replaced 2)	
SEC	TION 9: PHYSICAL AND CH	IEMICAL PROPERTIES	(continued)	
	Evaporation rate at 20 °C:		Not relevant *	
	Product description:			
	Density at 20 °C:		Not relevant *	
	Relative density at 20 °C:		Not relevant *	
	Dynamic viscosity at 20 °C:		Not relevant *	
	Kinematic viscosity at 20 °C:		Not relevant *	
	Kinematic viscosity at 40 °C:		Not relevant *	
	Concentration:		Not relevant *	
	pH:		Not relevant *	
	Vapour density at 20 °C:		Not relevant *	
	Partition coefficient n-octanol	/water 20 °C:	Not relevant *	
	Solubility in water at 20 °C:		Not relevant *	
	Solubility properties:		Not relevant *	
	Decomposition temperature:		Not relevant *	
	Melting point/freezing point:		Not relevant *	
	Recipient pressure:		Not relevant *	
	Flammability:			
	Flash Point:		Non-applicable	
	Flammability (solid, gas):		Not relevant *	
	Autoignition temperature:		410 °C (Propellant)	
	Lower flammability limit:		Not relevant *	
	Upper flammability limit:		Not relevant *	
	Particle characteristics:			
	Median equivalent diameter:		Non-applicable	
9.2	Other information:			
	Information with regard t	o physical hazard class	ses:	
	Explosive properties:		Not relevant *	
	Oxidising properties:		Not relevant *	
	Corrosive to metals:		Not relevant *	
	Heat of combustion:		Not relevant *	
	Aerosols-total percentage (by components:		Not relevant *	
	Other safety characteristi	cs:		
	Surface tension at 20 °C:		Not relevant *	
	Refraction index:		Not relevant *	
	*Not relevant due to the nature of	the product, not providing info	mation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

Date of compilation: 24/05/2021 Revised: 08/03/2022 Version: 3 (Replaced 2)

SECTION 10: STABILITY AND REACTIVITY (continued)

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Sunlight Humidity
Not applicable Not applicable Risk of combustion Avoi	d direct impact Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3

- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Date of compilation: 24/05/2021 Revised: 08/03/2022 Version: 3 (Replaced 2)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as

- hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acı	Acute toxicity		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	LD50 oral	>2000 mg/kg		
CAS: 64742-49-0	LD50 dermal	>2000 mg/kg		
EC: 927-510-4	LC50 inhalation	>20 mg/L		
Propane	LD50 oral	>2000 mg/kg		
CAS: 74-98-6	LD50 dermal	>2000 mg/kg		
EC: 200-827-9	LC50 inhalation	>5 mg/L		
Butane	LD50 oral	>2000 mg/kg		
CAS: 106-97-8	LD50 dermal	>2000 mg/kg		
EC: 203-448-7	LC50 inhalation	658 mg/L (4 h)	Rat	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 64742-49-0	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 927-510-4	EC50	>1 - 10 mg/L (72 h)		Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		Not relevant		
CAS: 64742-49-0 EC: 927-510-4	NOEC	0,17 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	BOD5	Not relevant	Concentration	Not relevant	
CAS: 64742-49-0	COD	Not relevant	Period	14 days	
EC: 927-510-4	BOD5/COD	Not relevant	% Biodegradable	95 %	
2.3 Bioaccumulative potential:	Bioaccumulative potential:				

Substance-specific information:

Date of compilation: 24/05/2021

Revised: 08/03/2022

Version: 3 (Replaced 2)

Identification	Bioaco	umulation potential
Propane	BCF	13
CAS: 74-98-6	Pow Log	2.86
EC: 200-827-9	Potential	Low
Butane	BCF	33
CAS: 106-97-8	Pow Log	2.89
EC: 203-448-7	Potential	Moderate

12.4 Mobility in soil:

Identification	Identification Absorption/desorp		Volatility	
Propane	Кос	460	Henry	71636,78 Pa·m ³ /mol
CAS: 74-98-6	Conclusion	Moderate	Dry soil	Yes
EC: 200-827-9	Surface tension	7,02E-3 N/m (25 °C)	Moist soil	Yes
Butane	Кос	900	Henry	96258,75 Pa·m³/mol
CAS: 106-97-8	Conclusion	Low	Dry soil	Yes
EC: 203-448-7	Surface tension	1,187E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 04* gases in pressure containers (including halons) containing hazardous substances		Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

Date of compilation: 24/05/20	21	Revised: 08/03/2022	Version: 3 (Replaced 2)
SECTION 14: TRANSPC	ORT I	NFORMATION (continued)	
	L4.2 L4.3 L4.4 L4.5 L4.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:	UN1950 AEROSOLS 2 2.1 N/A No 190, 327, 344, 625 D see section 9 1 L
1	L4.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transport of dan	gero	us goods by sea:	
With regard to IMD	G 41-	-22:	
	L4.2 L4.3 L4.4 L4.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant:	UN1950 AEROSOLS 2 2.1 N/A No
	14.6	Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	63, 959, 190, 277, 327, 344 F-D, S-U see section 9 1 L Not relevant
1	L4.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transport of dan	gero	us goods by air:	
With regard to IAT	A/ICA	O 2024:	
	L4.2 L4.3 L4.4 L4.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	UN1950 AEROSOLS 2 2.1 N/A No
1	14.7	Physico-Chemical properties: Maritime transport in bulk according to IMO instruments:	see section 9 Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant

- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant

- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant

- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant

- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirement	
	FLAMMABLE AEROSOLS 150 500			
Limitations etc):	to commercialisation and the use of certain dangerous substances and mix	xtures (Annex	XVII REACI	
and ashtrays, —tricks and jo	articles intended to produce light or colour effects by means of different phases, for		amental lamp	
-	visions in terms of protecting people or the environment:	nental aspects.		
	nded to use the information included in this safety data sheet as a basis for conduct in order to establish the necessary risk prevention measures for the handling, use, s ation:	5 1 1		
The product of	ould be affected by sectorial legislation			
dispensers	ive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member St	5		
	Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive of the laws of the relating Member States to aerosol dispensers	e 75/324/EEC on nnical progress, (

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

Texts of the legislative phrases mentioned in section 2:

H222: Extremely flammable aerosol.

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

H229: Pressurised container: May burst if heated.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Flam. Gas 1A: H220 - Extremely flammable gas.

Flam. Lig. 2: H225 - Highly flammable liquid and vapour.

Press. Gas: H280 - Contains gas under pressure, may explode if heated.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

- CONTINUED ON NEXT PAGE -

Date of compilation: 24/05/2021	Revised: 08/03/2022	Version: 3 (Replaced 2)
SECTION 16: OTHER INFORM	1ATION (continued)	
Principal bibliographical http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acror	sources: yms: concerning the international ne dangerous goods code sport Association iation Organisation nand ygen demand r 50 on 50 tition coefficient organic carbon er	carriage of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.