This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **UNIVERSAL PENETRATING OIL**

ECT	TON 1: IDENTIFICATION OF	THE SUBSTANCE/MIXTURE AND OF THE COM	IPANY/UNDERTAKING			
.1	Product identifier:	UNIVERSAL PENETRATING OIL				
	Other means of identification:	:				
	UFI:	XSWV-T0XU-T004-88DW				
2	Relevant identified uses of the	e substance or mixture and uses advised agains	st:			
	Relevant uses: Brake cleaning					
	Uses advised against: All uses not	t specified in this section or in section 7.3				
.3	Details of the supplier of the safety data sheet:					
	AUTOLAND PROSTA SPÓŁKA AKC Ogrodowa 37 00-873 Warszawa - Poland Phone: 0048-32-47 22 531 autoland_hse@autoland.pl http://autoland.pl					
4	Emergency telephone number	r:				
ECT	TON 2: HAZARDS IDENTIFICA	ATION				
1	Classification of the substance or mixture:					
	CLP Regulation (EC) No 1272/2008:					
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.					
.2	Aerosol 1: Flammable aerosols, Category 1, H222 Aerosol 1: Pressurised container: May burst if heated., H229 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411 Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336 Label elements:					
_	CLP Regulation (EC) No 1272,	/2008:				
	Danger	,				
	(!) 🛞 🏝					
	Hazard statements:					
	Aerosol 1: H222 - Extremely flam Aerosol 1: H229 - Pressurised cor Aquatic Chronic 2: H411 - Toxic to Skin Irrit. 2: H315 - Causes skin i STOT SE 3: H336 - May cause dro <b>Precautionary statements:</b>	ntainer: May burst if heated. o aquatic life with long lasting effects. rritation.				
	P102: Keep out of reach of childre	en.				
	P210: Keep away from heat, hot P211: Do not spray on an open fl P251: Do not pierce or burn, even P410+P412: Protect from sunligh	surfaces, sparks, open flames and other ignition sourc ame or other ignition source.	2°F			

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# UNIVERSAL PENETRATING OIL

Date of compilation: 16/06/2021

1 Revised: 08/03/2022

Version: 2 (Replaced 1)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Aerosol

# Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
CAS:	64742-49-0	Naphtha (petroleum)	), hydrotreated light, < 0.1 % EC 200-753-7 <sup>(1)</sup> Self-classified				
EC: 265-151-9 Index: 649-328-00-1 REACH: 01-2119475133-43- XXXX		Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 2: H225; Skin Irrit. 2: () 🛞 🛞 🌘 H315; STOT SE 3: H336 - Danger	50 - <75 %			
CAS:	106-97-8	Butane (containing ≥	<b>2 0,1 % butadiene (203-450-8))</b> <sup>(1)</sup> ATP CLP00				
EC: 203-448-7 Index: 601-004-01-8 REACH: 01-2119474691-32- XXXX		Regulation 1272/2008	Carc. 1A: H350; Flam. Gas 1A: H220; Muta. 1B: H340; Press. Gas: H280 - Danger 🛛 🔅 📀	25 - <50 %			
CAS:	74-98-6	Propane <sup>(2)</sup>	ATP CLP00				
Index: 601- REACH: 01-2	200-827-9 601-003-00-5 01-2119486944-21- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	10 - <25 %			
CAS:	75-28-5	Isobutane (containin	g ≥ 0,1 % butadiene (203-450-8)) <sup>(1)</sup> ATP CLP00				
Index: 601 REACH: 01-2	200-857-2 601-004-01-8 01-2119485395-27- XXXX	Regulation 1272/2008	Carc. 1A: H350; Flam. Gas 1A: H220; Muta. 1B: H340; Press. Gas: H280 - Danger 🛛 🔅 🔶 🐍	0,5 - <1 %			

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 <sup>(2)</sup> Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

# By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

#### Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

# UNIVERSAL PENETRATING OIL

# 

Date of compilation: 16/06/2021 Revised: 08/03/2022

Version: 2 (Replaced 1)

# SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

#### Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

# 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

# For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

# 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

# UNIVERSAL PENETRATING OIL

Date of compilation: 16/06/2021

Revised: 08/03/2022

Version: 2 (Replaced 1)

# SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

0 % Minimum Temp.:

50 °C Maximum Temp.:

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

# **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Naphtha (petroleum), hydrotreated light, < 0.1 % EC 200- 753-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64742-49-0	Dermal	Non-applicable	Non-applicable	300 mg/kg	Non-applicable
EC: 265-151-9	Inhalation	Non-applicable	Non-applicable	2085 mg/m <sup>3</sup>	Non-applicable

# **DNEL (General population):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Naphtha (petroleum), hydrotreated light, < 0.1 % EC 200-753-7	Oral	Non-applicable	Non-applicable	149 mg/kg	Non-applicable
CAS: 64742-49-0	Dermal	Non-applicable	Non-applicable	149 mg/kg	Non-applicable
EC: 265-151-9	Inhalation	Non-applicable	Non-applicable	447 mg/m <sup>3</sup>	Non-applicable

# PNEC:

Non-applicable

#### 8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases, vapours and particles	CAT III	EN 149:2001+A1:2009 EN 405:2002+A1:2010 EN ISO 136:1998	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation TOLAND

care

# **UNIVERSAL PENETRATING OIL**

d has therefore to be chection  PPE Panoramic glasses against splash/projections.  PPE Antistatic and fireproof protective clothing Safety footwear with antistatic and heat resistant properties Ency measures asure AI ISO 3864-1:2 ower	Labelling Labelling Labelling Labelling Labelling Labelling t CAT III		prole profes CE II A material ca Clea the n Clea the n 5 5 7 0 1 R measure	Remarks         ace gloves in case of any sign of damage. I onged periods of exposure to the product 1 sisonal users/industrials, we recommend users/industrials, and not be calculated in advance with Remarks         In daily and disinfect periodically according manufacturer's instructions. Use if there is risk of splashing.         In daily and disinfect periodically according manufacturer's instructions. Use if there is risk of splashing.         Image: Remarks         Limited protection against flames.         Replace boots at any sign of deterioration.         Standards
Protective gloves against minor risks a mixture of several sub d has therefore to be ch ection PPE Panoramic glasses against splash/projections. PPE Antistatic and fireproof protective clothing Safety footwear with antistatic and heat resistant properties Ency measures asure AI ISO 3864-1:2 Dwer	Labelling Labelling Labelling Labelling Labelling Labelling Labelling Labelling Labelling Labelling Labelling Labelling Labelling	istance of the glove ne application. CEN Standard EN 166:2002 EN ISO 4007:2018 CEN Standard EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN 150 14116:201 EN 1149-5:2018 EN 150 13287:202 EN ISO 20345:201 EN ISO 20345:201	prole profes CE II A material ca Clea the n Clea the n 5 5 7 0 1 R measure	ace gloves in case of any sign of damage. onged periods of exposure to the product i ssional users/industrials, we recommend us I gloves in line with standards EN 420:200 A1:2010 and EN ISO 374-1:2016+A1:2018 an not be calculated in advance wit Remarks n daily and disinfect periodically according manufacturer's instructions. Use if there is risk of splashing. Remarks Limited protection against flames.
minor risks         a mixture of several sub         d has therefore to be cherection         PPE         Panoramic glasses against splash/projections.         PPE         Antistatic and fireproof protective clothing         Safety footwear with antistatic and heat resistant properties         ency measures         asure       Antistatic and heat resistant properties         asure       Antistatic and properties         asure       <	Labelling Labelling Labelling Labelling Labelling Labelling t CAT III	CEN Standard EN 166:2002 EN ISO 4007:2018 CEN Standard EN 1149-1:2006 EN 1149-2:1997 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN 15O 13287:202 EN ISO 20345:201 EN ISO 20345:201	prole profes CE II A material ca Clea the n Clea the n 5 5 7 0 1 R measure	enged periods of exposure to the product issional users/industrials, we recommend users/industr
d has therefore to be chection  PPE Panoramic glasses against splash/projections.  PPE Antistatic and fireproof protective clothing Safety footwear with antistatic and heat resistant properties Ency measures asure AI ISO 3864-1:2 ower	Labelling Labelling Labelling Labelling Labelling Labelling t CAT III	CEN Standard EN 166:2002 EN ISO 4007:2018 CEN Standard EN 1149-1:2006 EN 1149-2:1997 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN 15O 13287:202 EN ISO 20345:201 EN ISO 20345:201	Clea the states 5 0 1 R measure	Remarks         n daily and disinfect periodically according manufacturer's instructions. Use if there is risk of splashing.         Remarks         Limited protection against flames.         Replace boots at any sign of deterioration.         Standards
PPE Panoramic glasses against splash/projections. PPE Antistatic and fireproof protective clothing Safety footwear with antistatic and heat resistant properties ency measures asure Safety Saf	Labelling CAT II Labelling CAT III CAT III CAT III CAT III	CEN Standard EN 166:2002 EN ISO 4007:2018 EN ISO 4007:2018 EN 1149-1:2006 EN 1149-2:1997 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN ISO 13287:202 EN ISO 13287:202 EN ISO 20345:201	3 the 1	n daily and disinfect periodically according manufacturer's instructions. Use if there is risk of splashing. Remarks Limited protection against flames. Replace boots at any sign of deterioration. Standards
PPE         Panoramic glasses against splash/projections.         PPE         Antistatic and fireproof protective clothing         Safety footwear with antistatic and heat resistant properties         Ency measures         assure       Safety 100 Measures         Antistatic and heat resistant properties         Ency measures         assure       Safety 120 Measures         Safety 120 Measures         Sure       Safety 120 Measures	Labelling Labelling CAT II Labelling CAT III CAT III CAT III	EN 166:2002 EN ISO 4007:2018 EN ISO 4007:2018 EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN ISO 13287:202 EN ISO 13287:202 EN ISO 20345:201 EN ISO 20345:201	3 the 1	n daily and disinfect periodically according manufacturer's instructions. Use if there is risk of splashing. Remarks Limited protection against flames. Replace boots at any sign of deterioration. Standards
Panoramic glasses against splash/projections.	Labelling Labelling CAT II Labelling CAT III CAT III CAT III	EN 166:2002 EN ISO 4007:2018 EN ISO 4007:2018 EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN ISO 13287:202 EN ISO 13287:202 EN ISO 20345:201 EN ISO 20345:201	3 the 1	n daily and disinfect periodically according manufacturer's instructions. Use if there is risk of splashing. Remarks Limited protection against flames. Replace boots at any sign of deterioration. Standards
Antistatic and fireproof protective clothing Safety footwear with antistatic and heat resistant properties ency measures asure S AI ISO 3864-1:2	t CAT III Standards	EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN ISO 13287:202 EN ISO 20345:201 EM ISO 20345:201	0 R 1 R	Limited protection against flames. Replace boots at any sign of deterioration.
Antistatic and fireproof protective clothing Safety footwear with antistatic and heat resistant properties ency measures asure S AI ISO 3864-1:2	t CAT III Standards	EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN ISO 13287:202 EN ISO 20345:201 EM ISO 20345:201	0 R 1 R	Limited protection against flames. Replace boots at any sign of deterioration.
safety footwear with antistatic and heat resistant properties ency measures asure S AI ISO 3864-1:2 ower	CAT III Standards NSI Z358-1	EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:201 EN 1149-5:2018 EN ISO 13287:202 EN ISO 20345:201 EN ISO 20345:201	0 R 1 R	Replace boots at any sign of deterioration.
antistatic and heat resistant properties ency measures asure S AI ISO 3864-1:2 ower	CAT III Standards NSI Z358-1	EN ISO 20345:201	1 measure	Standards
All ISO 3864-1:2	NSI Z358-1		-	
Al ISO 3864-1:2 ower	NSI Z358-1		-	
ISO 3864-1:2		.0	+	
	2011, ISO 3864-4:20	11 Eyewash	stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
osure controls:				-
ne community legislatior roduct and its container	n for the protection for the protection of the p	on of the environme	nt it is reco	ommended to avoid environmental
mpounds:				
ive 2010/75/EU, this pro	oduct has the fol	lowing characteristic	s:	
90 %	% weight			
20 °C: 698,	,97 kg/m³ (698,	97 g/L)		
umber: 7				
	g/mol			
AND CHEMICAL PRO	PERTIES			
sic physical and chem	nical properties	5:		
		-		
C.	Δριο	sol		
<b>.</b> .				
s	r weight: 100 ND CHEMICAL PRO ic physical and chen tion see the product da	r weight: 100 g/mol ND CHEMICAL PROPERTIES ic physical and chemical properties tion see the product datasheet. C: Aero Lubr	r weight: 100 g/mol ND CHEMICAL PROPERTIES ic physical and chemical properties: tion see the product datasheet.	r weight: 100 g/mol          ND CHEMICAL PROPERTIES         ic physical and chemical properties:         tion see the product datasheet.         C:       Aerosol         Lubricant

AUTOLAND care

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **UNIVERSAL PENETRATING OIL**

Date of	compilation: 16/06/2021 Revised: 08/03/2022	Version: 2 (Replaced 1)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Colour:	White
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	-42 - 119 °C (Propellant)
	Vapour pressure at 20 °C:	3495 Pa
	Vapour pressure at 50 °C:	11093,62 Pa (11,09 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	776,6 kg/m³
	Relative density at 20 °C:	0,777
	Dynamic viscosity at 20 °C:	52,87 cP
	Kinematic viscosity at 20 °C:	68,08 mm²/s
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Solvent miscible
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Recipient pressure:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	-460 °C (Propellant)
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	ises:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
1	Other safety characteristics:	
1	Surface tension at 20 °C:	Non-applicable *
1	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# UNIVERSAL PENETRATING OIL

Date of compilation: 16/06/2021 Revised: 08/03/2022 Version: 2 (Replaced 1) SECTION 10: STABILITY AND REACTIVITY 10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 10.2 Chemical stability: Chemically stable under the indicated conditions of storage, handling and use. 10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 10.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Humidity Increase in temperature Sunlight Not applicable Not applicable Risk of combustion Not applicable Avoid direct impact 10.5 Incompatible materials: Acids Water Oxidising materials Combustible materials Others Avoid strong acids Not applicable Avoid direct impact Not applicable Avoid alkalis or strong bases 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.
  - IARC: Naphtha (petroleum), hydrotreated light, < 0.1 % EC 200-753-7 (3)
  - Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

UNIVERSAL PENETRATING OIL Date of compilation: 16/06/2021 Revised: 08/03/2022 Version: 2 (Replaced 1) SECTION 11: TOXICOLOGICAL INFORMATION (continued) Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness. G- Specific target organ toxicity (STOT)-repeated exposure: - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. H- Aspiration hazard: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Acute toxicity Genus Propane LD50 oral >2000 mg/kg CAS: 74-98-6 LD50 dermal >2000 mg/kg EC: 200-827-9 LC50 inhalation >5 mg/L LD50 oral Butane (containing  $\geq$  0,1 % butadiene (203-450-8)) >2000 mg/kg CAS: 106-97-8 LD50 dermal >2000 mg/kg EC: 203-448-7 LC50 inhalation 658 mg/L (4 h) Rat >2000 mg/kg Naphtha (petroleum), hydrotreated light, < 0.1 % EC 200-753-7 LD50 oral

CAS: 64742-49-0 LD50 dermal >2000 mg/kg EC: 265-151-9 LC50 inhalation >20 mg/L Isobutane (containing  $\geq$  0,1 % butadiene (203-450-8)) LD50 oral >2000 mg/kg LD50 dermal CAS: 75-28-5 >2000 mg/kg FC: 200-857-2 LC50 inhalation >5 mg/L

# 11.2 Information on other hazards:

# Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

# Other information

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

# Acute toxicity:

	Identification		Concentration	Species	Genus
	Naphtha (petroleum), hydrotreated light, < 0.1 % EC 200-753-7	LC50	>1 - 10 mg/L (96 h)		Fish
	CAS: 64742-49-0	EC50	>1 - 10 mg/L (48 h)		Crustacean
	EC: 265-151-9	EC50	>1 - 10 mg/L (72 h)		Algae
12.2	Persistence and degradability:				
	Not available				
12.3	Bioaccumulative potential:				

- CONTINUED ON NEXT PAGE -

Safety data sheet legislation

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

# UNIVERSAL PENETRATING OIL

Date of compilation: 16/06/2021

Revised: 08/03/2022

Version: 2 (Replaced 1)

# SECTION 12: ECOLOGICAL INFORMATION (continued)

#### Substance-specific information:

Identification		Bioaccumulation potential		
Butane (containing $\geq$ 0,1 % butadiene (203-450-8))	BC	CF	33	
CAS: 106-97-8	Po	ow Log	2.89	
EC: 203-448-7	Po	otential	Moderate	
Propane	BC	CF	13	
CAS: 74-98-6	Po	ow Log	2.86	
EC: 200-827-9	Po	otential	Low	

#### 12.4 Mobility in soil:

Identification	Absorpt	Absorption/desorption		ility
Butane (containing $\geq$ 0,1 % butadiene (203-450-8))	Кос	Non-applicable	Henry	Non-applicable
CAS: 106-97-8	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-448-7	Surface tension	1,187E-2 N/m (25 °C)	Moist soil	Non-applicable
Propane	Кос	460	Henry	71636,78 Pa·m³/mol
CAS: 74-98-6	Conclusion	Moderate	Dry soil	Yes
EC: 200-827-9	Surface tension	7,02E-3 N/m (25 °C)	Moist soil	Yes
Isobutane (containing $\geq$ 0,1 % butadiene (203-450-8))	Кос	Non-applicable	Henry	Non-applicable
CAS: 75-28-5	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 200-857-2	Surface tension	9,84E-3 N/m (25 °C)	Moist soil	Non-applicable

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

## 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Dangerous

# Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP7 Carcinogenic, HP11 Mutagenic, HP4 Irritant — skin irritation and eye damage

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

## **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

# Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# UNIVERSAL PENETRATING OIL

Date of compilation: 16/06/2021	Revised: 08/03/2022	Version: 2 (Replaced 1)
SECTION 14: TRANSPORT	INFORMATION (continued)	
14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: Maritime transport in bulk according to IMO	UN1950 AEROSOLS 2 2.1 N/A Yes 190, 327, 344, 625 D see section 9 1 L Non-applicable
Transport of dangero	instruments:	
With regard to IMDG 40	5 ,	
14.1 14.2 14.3 14.4 14.4 14.5 14.6	<ul> <li>UN number or ID number:</li> <li>UN proper shipping name:</li> <li>Transport hazard class(es):</li> <li>Labels:</li> <li>Packing group:</li> <li>Marine pollutant:</li> <li>Special precautions for user</li> <li>Special regulations:</li> <li>EmS Codes:</li> <li>Physico-Chemical properties:</li> <li>Limited quantities:</li> <li>Segregation group:</li> <li>Maritime transport in bulk</li> <li>according to IMO</li> <li>instruments:</li> </ul>	UN1950 AEROSOLS 2 2.1 N/A Yes 63, 959, 190, 277, 327, 344 F-D, S-U see section 9 1 L Non-applicable Non-applicable
Transport of dangero		
With regard to IATA/ICA	AO 2022:	
14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Physico-Chemical properties:	UN1950 AEROSOLS 2 2.1 N/A Yes see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

# SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# UNIVERSAL PENETRATING OIL

Date of compilation: 16/06/2021

Revised: 08/03/2022

Version: 2 (Replaced 1)

# SECTION 15: REGULATORY INFORMATION (continued)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

# Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

# Labelling for contents:

Component	Concentration interval
Aliphatic hydrocarbons	% (w/w) >= 30
Seveso III:	

Section	Description	Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS	150	500
E2	ENVIRONMENTAL HAZARDS	200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

# 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# SECTION 16: OTHER INFORMATION

## Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

Texts of the legislative phrases mentioned in section 2:

Sarety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation care

# **UNIVERSAL PENETRATING OIL**

e of compilation: 16/06/2021	Revised: 08/03/2022	Version: 2 (Replaced 1)
SECTION 16: OTHER INFORM	IATION (continued)	
H222: Extremely flammable H315: Causes skin irritation H336: May cause drowsines H411: Toxic to aquatic life v H229: Pressurised container <b>Texts of the legislative p</b> The phrases indicated do no individual components whic <b>CLP Regulation (EC) No</b> Aquatic Chronic 2: H411 - T Asp. Tox. 1: H304 - May be Carc. 1A: H350 - May cause Flam. Gas 1A: H220 - Extre Flam. Liq. 2: H225 - Highly Muta. 1B: H340 - May cause Press. Gas: H280 - Contains Skin Irrit. 2: H315 - Causes STOT SE 3: H336 - May cau	aerosol. is or dizziness. vith long lasting effects. r: May burst if heated. <b>bhrases mentioned in sec</b> ot refer to the product itself h appear in section 3 <b>1272/2008:</b> Toxic to aquatic life with long fatal if swallowed and enter e cancer. mely flammable gas. flammable liquid and vapou e genetic defects. s gas under pressure, may of skin irritation. use drowsiness or dizziness.	; they are present merely for informative purposes and refer to the g lasting effects. rs airways. rr. explode if heated.
Advice related to trainin Training is recommended in interpretation of this safety <b>Principal bibliographical</b> http://echa.europa.eu	order to prevent industrial data sheet, as well as the la	risks for staff using this product and to facilitate their comprehension and abel on the product.
http://eur-lex.europa.eu		
Abbreviations and acron	•	
IMDG: International maritin IATA: International Air Trans ICAO: International Civil Av COD: Chemical Oxygen Der BOD5: 5day biochemical ox BCF: Bioconcentration facto LD50: Lethal Dose 50 LC50: Lethal Concentration EC50: Effective concentration EC50: Effective concentration CogPOW: Octanolwater part Koc: Partition coefficient of UFI: unique formula identifi IARC: International Agency	ne dangerous goods code sport Association nand ygen demand r 50 50 50 cition coefficient organic carbon er	I carriage of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.