ECT	compilation: 08/11/2022 Revised: 07/02/2024 Version: 2 (Replaced 1)	
ECI	TON 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
.1	Product identifier: BUMPER CLEANER 5L	
	Other means of identification:	
	UFI: 5RQS-E1TG-W00R-MPYN	
.2	Relevant identified uses of the substance or mixture and uses advised against:	
	Relevant uses: Vehicle interior grooming	
	Uses advised against: All uses not specified in this section or in section 7.3	
.3	Details of the supplier of the safety data sheet:	
	AUTOLAND PROSTA SPÓŁKA AKCYJNA	
	Ogrodowa 37 00-873 Warszawa - Poland	
	Phone: 0048-32-47 22 531	
	autoland_hse@autoland.pl	
.4	http://autoland.pl Emergency telephone number:	
FCT	TION 2: HAZARDS IDENTIFICATION **	
.1		
.1	Classification of the substance or mixture: CLP Regulation (EC) No 1272/2008:	
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.	
	Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411 Asp. Tox. 1: Aspiration hazard, Category 1, H304	
	Flam. Liq. 2: Flammable liquids, Category 2, H225	
	Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336	
.2	Label elements:	
	CLP Regulation (EC) No 1272/2008:	
	Danger	
	Hazard statements:	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.	
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
	Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.	
	Precautionary statements:	
	P101: If medical advice is needed, have product container or label at hand.	
	P102: Keep out of reach of children.	
	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
	P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower	r.
	P501: Dispose of contents/container according to the separated collection system used in your municipality.	
	Substances that contribute to the classification	
	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics UFI: 5ROS-E1TG-W00R-MPYN	
	UFI: 5RQS-E1TG-W00R-MPYN The product packaging must include: child-resistant fastenings, tactile warning.	
	Labelling for contents:	
	Component Concentration interval	
	Aliphatic hydrocarbons % (w/w) >= 30	

** Changes with regards to the previous version

Date of compilation: 08/11/2022 Revised: 07/02/2024 Version: 2 (Replaced 1)

SECT	TON 2: HAZARDS IDENTIFICATION ** (continued)	
	Component	Concentration interval
	perfumes	
2.3	Allergenic fragrances: Benzyl benzoate (BENZYL BENZOATE), Citral (CITRAL), d-limonene (L Terpineol (TERPINEOL). Other hazards:	IMONENE), Linalool (LINALOOL),
	Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.	

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous emulsion

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification			
CAS:		Hydrocarbons, C7, n-	alkanes, isoalkanes, cyclics ⁽¹⁾	Self-classified		
	927-510-4 Non-applicable : 01-2119475515-33- XXXX		Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 2: H225; Skin Irrit. 2: H315; STOT SE 3: H336 - Danger		70 - <100 %	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BUMPER CLEANER 5L

Date of compilation: 08/11/2022

Version: 2 (Replaced 1)

SECTION 4: FIRST AID MEASURES (continued)

4.3 Indication of any immediate medical attention and special treatment needed:

Revised: 07/02/2024

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

Methods and material for containment and cleaning up:

It is recommended:

6.3

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

	compilation: 08/11/2022 Revised: 07/02/	2024 Vers	sion: 2 (Replaced	1)				
SEC	TION 7: HANDLING AND STORAGE (conti	nued)						
	B Technical recommendations for the prevent	ion of fires and ex	xplosions					
	Transfer in well ventilated areas, preferably sparks,) and ventilate during cleaning ope inertization systems where possible. Transfe possibility of electrostatic charges: ensure a clothes made of acrylic fibres, preferably we requirements for equipment and systems de protecting the security and health of worke 10 for conditions and materials that should C Technical recommendations on general occ	erations. Avoid the er at a slow speed perfect equipote earing cotton cloth efined in Directive rs under the select be avoided.	e existence of dar to avoid the cre- ntial connection, ning and conduct 2014/34/EC (AT tion criteria of Di	ngerous atmospl ation of electros always use grou ive footwear. Co EX 100) and wit	neres inside con tatic charges. Ag indings, do not mply with the es h the minimum	tainers, applying gainst the wear work ssential security requirements fo		
	Do not eat or drink during the process, was	hing hands afterv	vards with suitab	le cleaning prod	ucts.			
	D Technical recommendations to prevent envi	ronmental risks						
7.2	Due to the danger of this product for the er control barriers in case of spillage, as well a Conditions for safe storage, including any	s having absorbe	nt material in clo		rea containing o	contamination		
	A Specific storage requirements							
	Minimum Temp.: 0 °C							
	Maximum Temp.: 30 °C							
	B General conditions for storage							
	Avoid sources of heat, radiation, static elect	ricity and contact	with food. For a	dditional informa	ation see subsec	ction 10.5		
7.3	Specific end use(s):							
	Except for the instructions already specified it is product.	s not necessary to	provide any spe	cial recommend	ation regarding	the uses of this		
SEC	TION 8: EXPOSURE CONTROLS/PERSONA		1					
	TION OF EXTOSORY CONTROLS/TERSON		N					
	Control parameters:							
	Control parameters: Substances whose occupational exposure limits legislation):	have to be monit	tored in the work	place (Europear	OEL, not count	ry-specific		
	Substances whose occupational exposure limits				I OEL, not count	ry-specific		
	Substances whose occupational exposure limits legislation):				OEL, not count	ry-specific		
	Substances whose occupational exposure limits legislation): There are no applicable occupational exposure		stances contained			rry-specific exposure		
	Substances whose occupational exposure limits legislation): There are no applicable occupational exposure		stances contained	l in the product				
8.1	Substances whose occupational exposure limits legislation): There are no applicable occupational exposure DNEL (Workers):		stances contained	in the product	Long e	exposure		

EC: 927-510-4 **DNEL** (General population):

		Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Oral	Not relevant	Not relevant	149 mg/kg	Not relevant
CAS: 64742-49-0	Dermal	Not relevant	Not relevant	149 mg/kg	Not relevant
EC: 927-510-4	Inhalation	Not relevant	Not relevant	447 mg/m ³	Not relevant

Not relevant

Not relevant

2085 mg/m³

Not relevant

Inhalation

PNEC:

Not relevant

8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

٦	The use of protec	tion equ	ipment will be ne	ecessary if a mis	st forr	ns or if the occupat	tional ex	xposure limits are exceeded.
C 9	Specific protectio	n for the	hands				_	
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory hand protection		ive gloves against minor risks	CATI			prolor profess CE	te gloves in case of any sign of damage. F nged periods of exposure to the product f sional users/industrials, we recommend us III gloves in line with standards EN ISO 20:2020 and EN ISO 374-1:2016+A1:2018
t	As the product is otal reliability an Eye and face prot	d has the					erial car	n not be calculated in advance with
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory face protection		nic glasses against sh/projections.		E	EN 166:2002 EN ISO 4007:2018		daily and disinfect periodically according nanufacturer´s instructions. Use if there is risk of splashing.
E I	Body protection							
	Pictogram		PPE	Labelling		CEN Standard		Remarks
		w	/ork clothing	CATI			perioo recom	ce before any evidence of deterioration. F ds of prolonged exposure to the product fr professional/industrial users CE III is imended, in accordance with the regulatio ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
		Anti-	slip work shoes		E	N ISO 20347:2012	perioo recom	ce before any evidence of deterioration. F ds of prolonged exposure to the product f professional/industrial users CE III is mended, in accordance with the regulatio EN ISO 20345:2012 y EN 13832-1:2007
F /	Additional emerge	ency me	asures					
	Emergency me	asure	St	andards		Emergency meas	ure	Standards
	Emergency sho	ower		ANSI Z358-1 :2011, ISO 3864-4:20		111 Eyewash station		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Env	ironmental exp	osure c	ontrols:					
spilla Vola		roduct a mpoun	nd its container. ds:	For additional in	nform	ation see subsectio		nmended to avoid environmental
	V.O.C. (Supply):	100 2010		5 % weight		characteristics.		
	V.O.C. density at	20 ºC:) / Weight)6 kg/m ³ (669,	96 q/l	_)		
	Average carbon r		7,01		0.			
	Average molecula	ar weight	. 100.1	.1 g/mol				

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Liquid

*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of	compilation: 08/11/2022 Revised: 07/02/2024	Version: 2 (Replaced 1)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTI	ES (continued)
	Appearance:	Fluid
	Colour:	Colourless
	Odour:	Pleasant
	Odour threshold:	Not relevant *
	Volatility:	
	Boiling point at atmospheric pressure:	95 - 324 °C
	Vapour pressure at 20 °C:	4385 Pa
	Vapour pressure at 50 °C:	19118,82 Pa (19,12 kPa)
	Evaporation rate at 20 °C:	Not relevant *
	Product description:	
	Density at 20 °C:	680 - 715 kg/m³
	Relative density at 20 °C:	0,7
	Dynamic viscosity at 20 °C:	Not relevant *
	Kinematic viscosity at 20 °C:	Not relevant *
	Kinematic viscosity at 40 °C:	<20,5 mm²/s
	Concentration:	Not relevant *
	pH:	Not relevant *
	Vapour density at 20 °C:	Not relevant *
	Partition coefficient n-octanol/water 20 °C:	Not relevant *
	Solubility in water at 20 °C:	Not relevant *
	Solubility properties:	Not relevant *
	Decomposition temperature:	Not relevant *
	Melting point/freezing point:	Not relevant *
	Flammability:	
	Flash Point:	-4 °C
	Flammability (solid, gas):	Not relevant *
	Autoignition temperature:	225 °C
	Lower flammability limit:	Not available
	Upper flammability limit:	Not available
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	isses:
	Explosive properties:	Not relevant *
	Oxidising properties:	Not relevant *
	Corrosive to metals:	Not relevant *
	Heat of combustion:	Not relevant *
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *
	Other safety characteristics:	
	Surface tension at 20 °C:	Not relevant *
	Refraction index:	Not relevant *
	*Not relevant due to the nature of the product, not providing in	formation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

Date of compilation: 08/11/2022 Revised: 07/02/2024 Version: 2 (Replaced 1)

SECTION 10: STABILITY AND REACTIVITY (continued) 10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet. 10.2 Chemical stability: Chemically stable under the indicated conditions of storage, handling and use. 10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 10.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Humidity Increase in temperature Sunlight Not applicable Not applicable Risk of combustion Avoid direct impact Not applicable 10.5 Incompatible materials: Acids Water Combustible materials Others Oxidising materials

Avoid strong acids Not applicable

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

Avoid direct impact

Not applicable

Avoid alkalis or strong bases

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3

- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: d-limonene (3); 2,6-di-tert-butyl-p-cresol (3); 7-methyl-3-methyleneocta-1,6-diene (2B); Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

LCTION II. TOXICOLOGIC	AL INFORMATION (contin	ued)							
hazardous with sensitis - Skin: Based on avai hazardous for this effe	sing effects. For more informat	teria are not met, as it does not o ection 3.							
vomiting, confusion, ar	entration can interfere with the nd in serious cases, loss of con oxicity (STOT)-repeated exposi		neadache, dizziness, ve	ertigo, nausea,					
it does not contain sub - Skin: Based on avai	 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. H- Aspiration hazard: 								
May be fatal if swallow	May be fatal if swallowed and enters airways.								
Other information:	Other information:								
Not relevant	Not relevant								
Specific toxicology info	Specific toxicology information on the substances:								
	Identification		Acute toxicity						
Hydrocarbons, C7, n-alkanes, is	oalkanes, cyclics	LD50 oral	>2000 mg/kg						
		LD50 dermal	>2000 mg/kg						
CAS: 64742-49-0			>20 mg/L						

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Toxic to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 64742-49-0	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 927-510-4	EC50	>1 - 10 mg/L (72 h)		Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	NOEC	Not relevant		
CAS: 64742-49-0 EC: 927-510-4	NOEC	0,17 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degra	adability	Biodegradability		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	BOD5	Not relevant	Concentration	Not relevant	
CAS: 64742-49-0	COD	Not relevant	Period	14 days	
EC: 927-510-4	BOD5/COD	Not relevant	% Biodegradable	95 %	
Ripaccumulative notential:				-	

12.3 Bioaccumulative potential:

Date of compilation: 08/11/2022 Revised: 07/02/2024 Version: 2 (Replaced 1)

SECT	SECTION 12: ECOLOGICAL INFORMATION (continued)			
	Not available			
12.4	Mobility in soil:			
	Not available			
12.5	Results of PBT and vPvB assessment:			
	Product does not meet PBT/vPvB criteria			
12.6	Endocrine disrupting properties:			
	Endocrine-disrupting properties: The product does not meet the criteria.			
12.7	Other adverse effects:			
	Not described			

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP3 Flammable, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

 14.3 Transport hazard class(es): 3 Labels: 3 14.4 Packing group: II 14.5 Environmental hazards: Yes 14.6 Special precautions for user Special regulations: 274, 601, 640D Tunnel restriction code: D/E Physico-Chemical properties: see section 9 Limited quantities: 1 L 14.7 Maritime transport in bulk according to IMO instruments: Transport of dangerours 			UN number or ID number: UN proper shipping name:	UN1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)
14.4Packing group:II14.5Environmental hazards:Yes14.6Special precautions for userZ74, 601, 640DSpecial regulations:D/ETunnel restriction code:D/EPhysico-Chemical properties:see section 9Limited quantities:1 L14.7Maritime transport in bulk according to IMO instruments:Not relevant	3	14.3	Transport hazard class(es):	3
14.5 Environmental hazards: Yes 14.6 Special precautions for user Special regulations: 274, 601, 640D Special regulations: D/E Physico-Chemical properties: see section 9 Limited quantities: 1 L 14.7 Maritime transport in bulk according to IMO instruments: Not relevant			Labels:	3
14.6 Special precautions for user Special regulations: 274, 601, 640D Tunnel restriction code: D/E Physico-Chemical properties: see section 9 Limited quantities: 1 L 14.7 Maritime transport in bulk according to IMO instruments: Not relevant		14.4	Packing group:	II
Special regulations: 274, 601, 640D Tunnel restriction code: D/E Physico-Chemical properties: see section 9 Limited quantities: 1 L 14.7 Maritime transport in bulk according to IMO instruments: Transport of dangerous goods by sea: Not relevant		14.5	Environmental hazards:	Yes
Tunnel restriction code: D/E Physico-Chemical properties: see section 9 Limited quantities: 1 L 14.7 Maritime transport in bulk according to IMO instruments: Not relevant Transport of dangerous goods by sea: Vertice Vertice		14.6	Special precautions for user	
Physico-Chemical properties: see section 9 Limited quantities: 1 L 14.7 Maritime transport in bulk according to IMO instruments: Transport of dangerous goods by sea: Not relevant			Special regulations:	274, 601, 640D
Limited quantities: 1 L 14.7 Maritime transport in bulk according to IMO instruments: Transport of dangerous goods by sea:			Tunnel restriction code:	D/E
14.7 Maritime transport in bulk according to IMO instruments: Transport of dangerous goods by sea:			Physico-Chemical properties:	see section 9
according to IMO instruments: Transport of dangerous goods by sea:			Limited quantities:	1 L
		14.7	according to IMO	Not relevant
With regard to IMDG 41-22:	Transport of da	ngero	us goods by sea:	
	With regard to IN	1DG 41	-22:	

Date of compilation: 08/11/2022	Revised: 07/02/2024	Version: 2 (Replaced 1)						
SECTION 14: TRANSPORT INFORMATION (continued)								
	UN number or ID number: UN proper shipping name:	UN1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)						
	Transport hazard class(es): Labels:	3 3						
14.4	Packing group:	II						
	Marine pollutant:	Yes						
14.6	Special precautions for user							
	Special regulations:	274						
	EmS Codes:	F-E, S-E						
	Physico-Chemical properties:	see section 9						
	Limited quantities:	1L						
	Segregation group:	Not relevant						
14.7	Maritime transport in bulk according to IMO instruments:	Not relevant						
Transport of dangero	ous goods by air:							
With regard to IATA/ICA	AO 2024:							
14.1	UN number or ID number:	UN1993						
	UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)						
14.3	Transport hazard class(es):	3						
	Labels:	3						
	Packing group:	II						
	Environmental hazards:	Yes						
14.6	Special precautions for user							
	Physico-Chemical properties:	see section 9						
14.7	Maritime transport in bulk according to IMO instruments:	Not relevant						

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

Labelling for contents:

Component	Concentration interval
Aliphatic hydrocarbons	% (w/w) >= 30
perfumes	

Allergenic fragrances: Benzyl benzoate (BENZYL BENZOATE), Citral (CITRAL), d-limonene (LIMONENE), Linalool (LINALOOL), Terpineol (TERPINEOL).

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements			
P5c	FLAMMABLE LIQUIDS	5000	50000			
E2	ENVIRONMENTAL HAZARDS	200	500			
Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):						

Date of compilation: 08/11/2022

Revised: 07/02/2024 Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION (continued)

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H304: May be fatal if swallowed and enters airways.

H225: Highly flammable liquid and vapour.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Skin Irrit. 2: Calculation method STOT SE 3: Calculation method Aquatic Chronic 2: Calculation method Asp. Tox. 1: Calculation method Flam. Liq. 2: Calculation method (2.6.4.3)

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

Date of compilation: 08/11/2022	Revised: 07/02/2024	Version: 2 (Replaced 1)
SECTION 16: OTHER INFORM	IATION (continued)	
ADR: European agreement IMDG: International maritim IATA: International Air Tran ICAO: International Civil Av COD: Chemical Oxygen Der BOD5: 5day biochemical ox BCF: Bioconcentration facto LD50: Lethal Dose 50 LC50: Lethal Concentration EC50: Effective concentration EC50: Effective concentration LogPOW: Octanolwater par Koc: Partition coefficient of UFI: unique formula identifi IARC: International Agency	ne dangerous goods code sport Association iation Organisation mand tygen demand or 50 50 50 tition coefficient organic carbon ier	l carriage of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.