te of o	compilation: 20/08/2021 Revised: 11/02/2022 Version: 2 (Rep	laced 1)
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF	THE COMPANY/UNDERTAKING
1.1	Product identifier: AIR-CON CLEANER AND FRESHNE	R KIT FRESH
	Other means of identification:	
	UFI: DV0F-H0QE-J009-8VQ3	
1.2	Relevant identified uses of the substance or mixture and uses advis	ed against:
	Relevant uses: Disinfectant cleaner	
	Uses advised against: All uses not specified in this section or in section 7.3	
1.3	Details of the supplier of the safety data sheet:	
	AUTOLAND PROSTA SPÓŁKA AKCYJNA Ogrodowa 37 00-873 Warszawa - Poland Phone: 0048-32-47 22 531 autoland_hse@autoland.pl http://autoland.pl	
1.4	Emergency telephone number:	
SECT	TION 2: HAZARDS IDENTIFICATION **	
2.1	Classification of the substance or mixture:	
	CLP Regulation (EC) No 1272/2008:	
	Classification of this product has been carried out in accordance with CLP Re	egulation (EC) No 1272/2008.
	Aerosol 1: Flammable aerosols, Category 1, H222 Aerosol 1: Pressurised container: May burst if heated., H229 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard Eye Irrit. 2: Eye irritation, Category 2, H319	, Category 2, H411
2.2	Label elements:	
	CLP Regulation (EC) No 1272/2008: Danger	
	Hazard statements:	
	Aerosol 1: H222 - Extremely flammable aerosol. Aerosol 1: H229 - Pressurised container: May burst if heated. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Precautionary statements:	
	P101: If medical advice is needed, have product container or label at hand.	
	 P102: Keep out of reach of children. P210: Keep away from heat, hot surfaces, sparks, open flames and other ign P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use. P501: Dispose of contents/container according to the separated collection sy UFI: DV0F-H0QE-J009-8VQ3 	
	Labelling for contents:	
	Component	Concentration interval
	Aliphatic hydrocarbons	% (w/w) >= 30
2.3	perfumes Other hazards:	
2.3	Product does not meet PBT/vPvB criteria	
	Endocrine-disrupting properties: The product does not meet the criteria.	

Date of compilation: 20/08/2021

Revised: 11/02/2022

Version: 2 (Replaced 1)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aerosol

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration			
CAS: EC:	64-17-5 200-578-6	ethanol ⁽¹⁾	Self-classified				
Index:	603-002-00-5 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	18 - <36 %			
	106-97-8	Butane ⁽²⁾ ATP CLP00					
	203-448-7 x: 601-004-00-0 CH: 01-2119474691-32- XXXX Flam. Gas 1A: H220; Press. Gas: H280 - Danger			18 - <36 %			
	74-98-6	Propane ⁽²⁾	ATP CLP00				
REACH:	200-827-9 601-003-00-5 01-2119486944-21- XXXX	3-00-5 Elam Gas 1A: H220: Press Gas: H280 - Danger		7 - <18 %			
	67-63-0	propan-2-ol ⁽¹⁾	ATP CLP00				
REACH:	200-661-7 603-117-00-0 01-2119457558-25- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	5 - <7 %			
CAS: EC:	78-93-3	Butanone ⁽³⁾ ATP CLP00					
Index:	201-159-0 606-002-00-3 01-2119457290-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger	0,1 - <0,5 %			
	3734-33-6	Denatonium benzoat	te ⁽¹⁾ Self-classified				
	223-095-2 Non-applicable 01-2120102843-65- XXXX	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger 🛞 谷	0,1 - <0,5 %			
CAS: EC:	7761-88-8	azotan(V) srebra ⁽¹⁾	ATP ATP01				
Index:	231-853-9 047-001-00-2 Non-applicable	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Ox. Sol. 2: H272; Skin Corr. 1B:	0,0015 - <0,05 %			
	108-88-3	Toluene ⁽³⁾	ATP CLP00				
	203-625-9 601-021-00-3 01-2119471310-51- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; Flam. Liq. 2: H225; Repr. 2: H361d; Skin Irrit. 2: H315; STOT RE 2: H373; STOT SE 3: H336 - Danger	<0,0015 %			

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878
 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878
 ⁽³⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

	Identification		M-factor	
azotan(V) srebra			Acute	100
CAS: 7761-88-8	EC: 231-853-9		Chronic	1000
	Identification	Spec	ific concentrati	ion limit
ethanol CAS: 64-17-5 EC: 200-578-6		% (w/w) >=50: Eye Irrit. 2	- H319	
Acute toxicity estimates with Annex I to the	mate for the substance in Part 3 of Annex VI to Re at Regulation:	egulation (EC) No 1272/2	008 or as de	etermined in accordance

Date of compilation: 20/08/2021

Revised: 11/02/2022

Version: 2 (Replaced 1)

SECTI	ON 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (co	ntinued)		
	Identification	Acut	te toxicity	Genus
	Denatonium benzoate	LD50 oral	Not relevant	
	CAS: 3734-33-6	LD50 dermal	Not relevant	
	EC: 223-095-2	LC50 inhalation	0,5 mg/L (ATEi)	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

	compilation: 20/08/2021 Revised: 11/02/2022 Version: 2 (Replaced 1)
EC	TION 6: ACCIDENTAL RELEASE MEASURES
5.1	Personal precautions, protective equipment and emergency procedures:
	For non-emergency personnel:
	Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground. For emergency responders:
	Wear protective equipment. Keep unprotected persons away. See section 8.
6.2	Environmental precautions:
6.3	Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment. Methods and material for containment and cleaning up:
	It is recommended:
	Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.
6.4	Reference to other sections:
	See sections 8 and 13.
	TION 7: HANDLING AND STORAGE
SEC 7.1	TION 7: HANDLING AND STORAGE Precautions for safe handling:
	TION 7: HANDLING AND STORAGE
	TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights.
	TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).
	 TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.
	 TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene
	 TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.
7.1	 TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. Conditions for safe storage, including any incompatibilities:
7.1	 TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene
7.1	TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D Technical recommendations to prevent environmental risks Due to the danger of this product for the environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. Conditions for safe storage, including any incompatibilities: A Technical measures for storage Minimum Temp.: 0 °C
7.1	TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. Conditions for safe storage, including any incompatibilities: A Technical measures for storage Minimum Temp:: 0 °C Maximum Temp:: 50 °C
7.1	TION 7: HANDLING AND STORAGE Precautions for safe handling: A General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6). B Technical recommendations for the prevention of fires and explosions It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided. C Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D Technical recommendations to prevent environmental risks Due to the danger of this product for the environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. Conditions for safe storage, including any incompatibilities: A Technical measures for storage Minimum Temp.: 0 °C

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Date of compilation: 20/08/2021

Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Revised: 11/02/2022

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification		Occupational exposure limits			
Butanone		IOELV (8h)	200 ppm	600 mg/m ³		
CAS: 78-93-3	EC: 201-159-0	IOELV (STEL)	300 ppm	900 mg/m ³		
Toluene (1)		IOELV (8h)	50 ppm	192 mg/m ³		
CAS: 108-88-3	EC: 203-625-9	IOELV (STEL)	100 ppm	384 mg/m ³		

⁽¹⁾ Likely absorption through the skin

DNEL (Workers):

		Short	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64-17-5	Dermal	Not relevant	Not relevant	343 mg/kg	Not relevant
EC: 200-578-6	Inhalation	Not relevant	Not relevant	950 mg/m ³	Not relevant
propan-2-ol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 67-63-0	Dermal	Not relevant	Not relevant	888 mg/kg	Not relevant
EC: 200-661-7	Inhalation	Not relevant	Not relevant	500 mg/m ³	Not relevant
Butanone	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 78-93-3	Dermal	Not relevant	Not relevant	1161 mg/kg	Not relevant
EC: 201-159-0	Inhalation	Not relevant	Not relevant	600 mg/m ³	Not relevant
Denatonium benzoate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 3734-33-6	Dermal	Not relevant	Not relevant	1,43 mg/kg	Not relevant
EC: 223-095-2	Inhalation	Not relevant	Not relevant	4,99 mg/m ³	Not relevant
azotan(V) srebra	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 7761-88-8	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 231-853-9	Inhalation	Not relevant	Not relevant	0,016 mg/m ³	Not relevant
Toluene	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 108-88-3	Dermal	Not relevant	Not relevant	384 mg/kg	Not relevant
EC: 203-625-9	Inhalation	384 mg/m ³	384 mg/m ³	192 mg/m ³	192 mg/m ³

DNEL (General population):

		Short	exposure	Long	Long exposure	
Identification		Systemic	Local	Systemic	Local	
ethanol	Oral	Not relevant	Not relevant	87 mg/kg	Not relevant	
CAS: 64-17-5	Dermal	Not relevant	Not relevant	206 mg/kg	Not relevant	
EC: 200-578-6	Inhalation	Not relevant	Not relevant	114 mg/m ³	Not relevant	
propan-2-ol	Oral	Not relevant	Not relevant	26 mg/kg	Not relevant	
CAS: 67-63-0	Dermal	Not relevant	Not relevant	319 mg/kg	Not relevant	
EC: 200-661-7	Inhalation	Not relevant	Not relevant	89 mg/m ³	Not relevant	
Butanone	Oral	Not relevant	Not relevant	31 mg/kg	Not relevant	
CAS: 78-93-3	Dermal	Not relevant	Not relevant	412 mg/kg	Not relevant	
EC: 201-159-0	Inhalation	Not relevant	Not relevant	106 mg/m ³	Not relevant	
Denatonium benzoate	Oral	Not relevant	Not relevant	0,51 mg/kg	Not relevant	
CAS: 3734-33-6	Dermal	Not relevant	Not relevant	0,51 mg/kg	Not relevant	
EC: 223-095-2	Inhalation	Not relevant	Not relevant	0,768 mg/m ³	Not relevant	
azotan(V) srebra	Oral	Not relevant	Not relevant	0,02 mg/kg	Not relevant	
CAS: 7761-88-8	Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
EC: 231-853-9	Inhalation	Not relevant	Not relevant	0,006 mg/m ³	Not relevant	
Toluene	Oral	Not relevant	Not relevant	8,13 mg/kg	Not relevant	
CAS: 108-88-3	Dermal	Not relevant	Not relevant	226 mg/kg	Not relevant	
EC: 203-625-9	Inhalation	226 mg/m ³	226 mg/m ³	56,5 mg/m ³	56,5 mg/m ³	

Date of compilation: 20/08/2021

Revised: 11/02/2022

Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg
Butanone	STP	709 mg/L	Fresh water	55,8 mg/L
CAS: 78-93-3	Soil	22,5 mg/kg	Marine water	55,8 mg/L
EC: 201-159-0	Intermittent	55,8 mg/L	Sediment (Fresh water)	284,74 mg/kg
	Oral	1 g/kg	Sediment (Marine water)	284,7 mg/kg
Denatonium benzoate	STP	Not relevant	Fresh water	0,1 mg/L
CAS: 3734-33-6	Soil	4,95 mg/kg	Marine water	0,01 mg/L
EC: 223-095-2	Intermittent	1 mg/L	Sediment (Fresh water)	25 mg/kg
	Oral	Not relevant	Sediment (Marine water)	2,5 mg/kg
azotan(V) srebra	STP	0,025 mg/L	Fresh water	0,00004 mg/L
CAS: 7761-88-8	Soil	1,41 mg/kg	Marine water	0,00086 mg/L
EC: 231-853-9	Intermittent	Not relevant	Sediment (Fresh water)	438,13 mg/kg
	Oral	Not relevant	Sediment (Marine water)	438,13 mg/kg
Toluene	STP	13,61 mg/L	Fresh water	0,68 mg/L
CAS: 108-88-3	Soil	2,89 mg/kg	Marine water	0,68 mg/L
EC: 203-625-9	Intermittent	0,68 mg/L	Sediment (Fresh water)	16,39 mg/kg
	Oral	Not relevant	Sediment (Marine water)	16,39 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E E	Body protection				

	Pictogram		PPE	Labelling		CEN Standard		Remarks
	w		ork clothing	CATI			perioo recom	ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulation ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
		Anti-slip work shoes				EN ISO 20347:2012		ce before any evidence of deterioration. Fo Is of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007
F A	dditional emerge	ency mea	isures					
	Emergency mea	sure	St	andards		Emergency measu	ıre	Standards
	Emergency shower		ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011		11	Evewash stations		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
	ronmental exp							

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	92,38 % weight
V.O.C. density at 20 °C:	Not relevant
Average carbon number:	2,17
Average molecular weight:	48,48 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:				
For complete information see the product datasheet.				
Appearance:				
Physical state at 20 °C:	Aerosol			
Appearance:	Fluid			
Colour:	Colourless			
Odour:	Pleasant			
Odour threshold:	Not relevant *			
Volatility:				
Boiling point at atmospheric pressure:	-42 - 360 °C (Propellant)			
Vapour pressure at 20 °C:	Not relevant *			
Vapour pressure at 50 °C:	<300000 Pa (300 kPa)			
Evaporation rate at 20 °C:	Not relevant *			
Product description:				
Density at 20 °C:	Not relevant *			
Relative density at 20 °C:	Not relevant *			
Dynamic viscosity at 20 °C:	Not relevant *			
Kinematic viscosity at 20 °C:	Not relevant *			
Kinematic viscosity at 40 °C:	Not relevant *			
*Not relevant due to the nature of the product, not provi	iding information property of its hazards.			

Date of	compilation: 20/08/2021 Revised: 11/02/2022	Version: 2 (Replaced 1)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIN	ES (continued)
	Concentration:	Not relevant *
	pH:	7 - 9
	Vapour density at 20 °C:	Not relevant *
	Partition coefficient n-octanol/water 20 °C:	Not relevant *
	Solubility in water at 20 °C:	Not relevant *
	Solubility properties:	Not relevant *
	Decomposition temperature:	Not relevant *
	Melting point/freezing point:	Not relevant *
	Recipient pressure:	Not relevant *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Not relevant *
	Autoignition temperature:	410 °C (Propellant)
	Lower flammability limit:	Not relevant *
	Upper flammability limit:	Not relevant *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Not relevant *
	Oxidising properties:	Not relevant *
	Corrosive to metals:	Not relevant *
	Heat of combustion:	32,85 kJ/g
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *
	Other safety characteristics:	
	Surface tension at 20 °C:	Not relevant *
	Refraction index:	Not relevant *
	*Not relevant due to the nature of the product, not providing in	formation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	riction Contact with air Increase in temperature Sunlight		Humidity	
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable
10.5	Incompatible materials	:			
	Acids	Water	Oxidising materials	Combustible materials	Others
	Avoid strong acids	Avoid strong acids Not applicable Avoid direct impact Precaution Avo		Avoid alkalis or strong bases	

10.6 Hazardous decomposition products:

Date of compilation: 20/08/2021Revised: 11/02/2022Version: 2 (Replaced 1)

SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Produces eye damage after contact.

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: propan-2-ol (3); ethanol (1); Coumarin (3); Eugenol (3); Toluene (3); Coumarin (3); d-limonene (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

^{**} Changes with regards to the previous version

Date of compilation: 20/08/2021

Revised: 11/02/2022

Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat
ethanol	LD50 oral	6200 mg/kg	Rat
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat
Propane	LD50 oral	>2000 mg/kg	
CAS: 74-98-6	LD50 dermal	>2000 mg/kg	
EC: 200-827-9	LC50 inhalation	>5 mg/L	
Butane	LD50 oral	>2000 mg/kg	
CAS: 106-97-8	LD50 dermal	>2000 mg/kg	
EC: 203-448-7	LC50 inhalation	658 mg/L (4 h)	Rat
Denatonium benzoate	LD50 oral	1225 mg/kg	Mouse
CAS: 3734-33-6	LD50 dermal	>2000 mg/kg	
EC: 223-095-2	LC50 inhalation	0,5 mg/L (ATEi)	
Butanone	LD50 oral	4000 mg/kg	Rat
CAS: 78-93-3	LD50 dermal	6400 mg/kg	Rabbit
EC: 201-159-0	LC50 inhalation	23,5 mg/L (4 h)	Rat
azotan(V) srebra	LD50 oral	>2000 mg/kg	
CAS: 7761-88-8	LD50 dermal	>2000 mg/kg	
EC: 231-853-9	LC50 inhalation	>5 mg/L	
Toluene	LD50 oral	5580 mg/kg	Rat
CAS: 108-88-3	LD50 dermal	12124 mg/kg	Rat
EC: 203-625-9	LC50 inhalation	28,1 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

Toxic to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	EC50 1450 mg/L (192 h) Microcystis aeruginosa		Algae
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
Butanone	LC50	3220 mg/L (96 h)	Pimephales promelas	Fish
CAS: 78-93-3	EC50	5091 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-159-0	EC50	4300 mg/L (168 h)	Scenedesmus quadricauda	Algae

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Date of compilation: 20/08/2021 Revised: 11/02/2022 Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION ** (continued)						
Identification Concentration Species Genus						
azotan(V) srebra	LC50	0,0012 mg/L (96 h)	Pleuronectes platessa	Fish		
CAS: 7761-88-8	EC50	0,00022 mg/L (48 h)	Daphnia magna	Crustacean		
EC: 231-853-9	EC50	Not relevant				
Toluene	LC50	5,5 mg/L (96 h)	Oncorhynchus kisutch	Fish		
CAS: 108-88-3	EC50	3,78 mg/L (48 h)	Ceriodaphnia dubia	Crustacean		
EC: 203-625-9	EC50	Not relevant				

Chronic toxicity:

Identification		Concentration	Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradab	ility
ethanol	BOD5	Not relevant	Concentration	100 mg/L
CAS: 64-17-5	COD	Not relevant	14 days	cellPeriodoTesteoConte nido
EC: 200-578-6	BOD5/COD	Not relevant	% Biodegradable	89 %
propan-2-ol	BOD5	1,19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2,23 g O2/g	14 days	cellPeriodoTesteoConte nido
EC: 200-661-7	BOD5/COD	0,53	% Biodegradable	86 %
Butanone	BOD5	2,03 g O2/g	Concentration	Not relevant
CAS: 78-93-3	COD	2,31 g O2/g	20 days	cellPeriodoTesteoConte nido
EC: 201-159-0	BOD5/COD	0,88	% Biodegradable	89 %
Toluene	BOD5	2,5 g O2/g	Concentration	100 mg/L
CAS: 108-88-3	COD	Not relevant	14 days	cellPeriodoTesteoConte nido
EC: 203-625-9	BOD5/COD	Not relevant	% Biodegradable	100 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccu	Bioaccumulation potential		
ethanol	BCF	3		
CAS: 64-17-5	Pow Log	-0.31		
EC: 200-578-6	Potential	Low		
Butane	BCF	33		
CAS: 106-97-8	Pow Log	2.89		
EC: 203-448-7	Potential	Moderate		
Propane	BCF	13		
CAS: 74-98-6	Pow Log	2.86		
EC: 200-827-9	Potential	Low		
propan-2-ol	BCF	3		
CAS: 67-63-0	Pow Log	0.05		
EC: 200-661-7	Potential	Low		
Butanone	BCF	3		
CAS: 78-93-3	Pow Log	0.29		
EC: 201-159-0	Potential	Low		
azotan(V) srebra	BCF	70		
CAS: 7761-88-8	Pow Log			
EC: 231-853-9	Potential	Moderate		

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Date of compilation: 20/08/2021

Revised: 11/02/2022

Version: 2 (Replaced 1)

Iden		Bioac	cumulation potential	
Toluene		В	CF	90
CAS: 108-88-3		P	ow Log	2.73
EC: 203-625-9		P	otential	Moderate
Mobility in soil:		-		-
Identification	Absorp	otion/desorption		Volatility
ethanol	Кос	1	Henry	4,61E-1 Pa·m ³ /mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
Butane	Кос	900	Henry	96258,75 Pa·m³/m
CAS: 106-97-8	Conclusion	Low	Dry soil	Yes
EC: 203-448-7	Surface tension	1,187E-2 N/m (25 °C)	Moist soil	Yes
Propane	Кос	460	Henry	71636,78 Pa·m³/m
CAS: 74-98-6	Conclusion	Moderate	Dry soil	Yes
EC: 200-827-9	Surface tension	7,02E-3 N/m (25 °C)	Moist soil	Yes
propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m ³ /mo
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes
Butanone	Кос	30	Henry	5,77 Pa·m³/mol
CAS: 78-93-3	Conclusion	Very High	Dry soil	Yes
EC: 201-159-0	Surface tension	2,396E-2 N/m (25 °C)	Moist soil	Yes
Toluene	Кос	178	Henry	672,8 Pa·m ³ /mol
CAS: 108-88-3	Conclusion	Moderate	Dry soil	Yes
EC: 203-625-9	Surface tension	2,793E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

Date of compilation: 20/08/2021	Revised: 11/02/2022	Version: 2 (Replaced 1)			
SECTION 14: TRANSPORT	INFORMATION				
	Transport of dangerous goods by land: With regard to ADR 2023 and RID 2023:				
14.2	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels:	UN1950 AEROSOLS 2 2.1			
14.5	Packing group: Environmental hazards: Special precautions for user	N/A Yes			
	Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:	190, 327, 344, 625 D see section 9 1 L			
14.7	Maritime transport in bulk according to IMO instruments:	Not relevant			
Transport of danger	ous goods by sea:				
With regard to IMDG 41	-22:				
14.2	UN number or ID number: UN proper shipping name:	UN1950 AEROSOLS			
	Transport hazard class(es): Labels: Packing group:	2 2.1 N/A			
	Marine pollutant:	Yes			
	Special precautions for user Special regulations:	63, 959, 190, 277, 327, 344			
	EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group:	F-D, S-U see section 9 1 L Not relevant			
14.7	Maritime transport in bulk according to IMO instruments:	Not relevant			
Transport of danger	ous goods by air:				
With regard to IATA/IC	AO 2024:				
14.2	UN number or ID number: UN proper shipping name: Transport hazard class(es):	UN1950 AEROSOLS 2			
	Labels: Packing group: Environmental hazards:	2.1 N/A Yes			
-	Special precautions for user				
	Physico-Chemical properties:	see section 9			
14.7	Maritime transport in bulk according to IMO instruments:	Not relevant			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Composition of the active ingredients (Regulation (EU) No 528/2012): azotan(V) srebra (0.003%); propan-2-ol (6.407%); ethanol (35.573%); Cinnamaldehyde (0%)

Date of compilation: 20/08/2021 Revised: 11/02/2022

Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION (continued)

- Article 95, REGULATION (EU) No 528/2012: *ethanol (64-17-5) - PT: (1,2,4,6)*; *propan-2-ol (67-63-0) - PT: (1,2,4)*; *azotan(V)* srebra (7761-88-8) - PT: (1,2,3,4,5,9,11)

- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant

- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant

- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant

- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

Labelling for contents:

Component	Concentration interval	
Aliphatic hydrocarbons	% (w/w) >= 30	
perfumes		
per dan co		

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS	150	500
E2	ENVIRONMENTAL HAZARDS	200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

ate of compilation: 20/08/2021	Revised: 11/02/2022	Version: 2 (Replaced 1)
SECTION 16: OTHER INFOR	MATION (continued)	
• New declared substance azotan(V) srebra (7 CLP Regulation (EC) No 12 • Supplementary inform	TON ÓN INGREDIENTS (SEC ces 761-88-8) 272/2008 (SECTION 2, SECTIO	
H222: Extremely flammab H319: Causes serious eye H411: Toxic to aquatic life H229: Pressurised contain	irritation. with long lasting effects.	
Texts of the legislative	phrases mentioned in sec	tion 3:
The phrases indicated do individual components wh		; they are present merely for informative purposes and refer to the
Asp. Tox. 1: H304 - May b Eye Dam. 1: H318 - Cause Eye Irrit. 2: H319 - Cause Flam. Gas 1A: H220 - Extr Flam. Liq. 2: H225 - Highl Ox. Sol. 2: H272 - May int Press. Gas: H280 - Contai Repr. 2: H361d - Suspecte Skin Corr. 1B: H314 - Caus Skin Irrit. 2: H315 - Cause STOT RE 2: H373 - May c STOT SE 3: H336 - May c Advice related to traini Training is recommended interpretation of this safet Principal bibliographic	l if inhaled. nful if swallowed. ery toxic to aquatic life. Very toxic to aquatic life with e fatal if swallowed and enter es serious eye damage. s serious eye irritation. remely flammable gas. y flammable liquid and vapou rensify fire, oxidiser. ns gas under pressure, may end d of damaging the unborn choses severe skin burns and eye es skin irritation. ause damage to organs througans ause drowsiness or dizziness. ng: n order to prevent industrial for y data sheet, as well as the lagentic set of the set	rs airways. r. explode if heated. hild. e damage. gh prolonged or repeated exposure. risks for staff using this product and to facilitate their comprehension and
http://echa.europa.eu http://eur-lex.europa.eu		
Abbreviations and acro	nyms:	
IMDG: International marit IATA: International Air Tra ICAO: International Civil A COD: Chemical Oxygen De BOD5: 5day biochemical o BCF: Bioconcentration fact LD50: Lethal Dose 50 LC50: Lethal Concentratio EC50: Effective concentratio	ime dangerous goods code nsport Association viation Organisation emand xygen demand cor n 50 tion 50	carriage of dangerous goods by road
LogPOW: Octanolwater pa Koc: Partition coefficient o UFI: unique formula ident IARC: International Agenc	f organic carbon fier	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.